

Europlay®

Creative playgrounds





EXPLORING THE WORLD OF PLAY

Due to our commitment to continuous improvement we reserve the right to apply changes without prior notice of termination. The designs, colours and/or photos and/or sizes specified and/or age categories in this catalogue are only illustrative and may sometimes differ from the included installation manual.

Only the latter is valid based on the European standard EN 117 6.

Copyright © Europlay 2024, No part of this publication may be reproduced and/or published by print, photocopy, microfilm or any other means without prior written permission of the publisher.

Subject to printing and typographical errors.

P u b l i s h e r : E u r o p l a y N V
E g e n e 9
9200 D e n d e r m o n d e (B e l g i u m)

www.europlay.eu

Europlay®

Imaginative play!

Growth through innovation

Europlay was established more than 30 years ago. Thanks to our search for innovation, we have managed to become a leader and supplier of children's playground equipment.

Creativity and production go hand in hand

Our design department creates contemporary playgrounds that enable children to be and stay themselves while playing. This is the result of a motivated team of skilled work people and modern machinery. The production and supply of equipment to more than 20 countries.

Mission

Europlay manufactures imaginative playground equipment designed to stimulate creative play.





Contents

Legend

 3,3 x 2,0 x 2,2 m Length x width x height


 1,20 m Fall height

 2 - 10 Age category


 2 ☺ - 4,5 ☹️ Working hours
 Concrete required

 Accessible without assistance of others for children with motor disabilities.

 Accessible with assistance of others for children with mental or motor disabilities.



 Safety zone: space to be kept clear around each unit.

 Linking zone: zone in which linking zones are allowed to overlap.

Product overview

p. 4

Introduction pages

p. 24

Play values	p. 24
Colours and themes	p. 25
Safety and warranty	p. 26
Environment	p. 27
Corporate social responsibility	p. 28
Inclusive play	p. 30
Materials and finishing	p. 33
Pole fixings	p. 33
Type of wood used	p. 35
Metals, plastics and ropes	p. 37
Shock-absorbing surface	p. 38

Playground equipment

p. 40

Swings	p. 40
Bouncing & turning	p. 54
Spring mobiles	p. 64
Toddler corner	p. 76
Toddler village	p. 84
Play panels	p. 106
Fairyl and	p. 112
Decorative signs	p. 140
Transport	p. 144
Sand playground equipment	p. 168
Sandboxes	p. 176
Climbing units	p. 184
Toddler adventure trail	p. 204
Wooden adventure path	p. 208
Play towers	p. 222
Tower combinations	p. 252
Add-on elements	p. 268
Slides & outdoor stairs	p. 286
Sports and games	p. 294
Universe	p. 306
Furniture	p. 320
Borders & fencing	p. 330

Product overview

Swings



S160 • p . 42



S100 • p . 44



S170 • p . 45



S130 • p . 46



S110 • p . 48



S150 • p . 49



S961 • p . 5 0



S185 • p . 5 2



S171 • p . 5 2



S190 • p . 5 3

Bouncing & turning



S308 • p . 5 6



S303 • p . 5 6



S302 • p . 5 7



S306 • p . 5 8



S900 • p . 5 9




S905 • p . 60



S940 • p . 61



S906 • p . 62



S902 • p . 62



S907 • p . 63



S950 • p . 63

Spring mobiles



8040 • p . 66



8000 • p . 67



8300 • p . 67



8100 • p . 68



8200 • p . 68



8400 • p . 69



8030 • p . 69



8010 • p . 7 0



8600 • p . 7 0



8020 • p . 7 1



8800 • p . 7 1



8900 • p . 7 3



8700 • p . 7 3



8070 • p . 7 4



8060 • p . 7 5



8065 • p . 7 5

Toddler corner



G710 • p . 7 8



G700 • p . 7 9



G801 • p . 80



G802 • p . 81



G800 • p . 83



G803 • p . 83



Toddler village



S400 • p . 86



S410 • p . 87



G200 • p . 88



G719 • p . 90



G550 • p . 96



G500 • p . 97



G560 • p . 98



G511 • p . 100



G570 • p . 102



A691 • p . 103



S924 • p . 104



S920 • p . 105

Play panels



S931 • p . 108



S930 • p . 108



S935 • p . 109



S035 • p . 109



S033 • p . 111



S037 • p . 111



S036 • p . 111



S035 • p . 111



S038 • p . 111



S034 • p . 111



S039 • p . 111



S040 • p . 111



S041 • p . 111



S042 • p . 111



S032 • p . 111

Fairyland



F200 • p . 114



S932 • p . 116



F500 • p . 116



F700 • p . 119



F900 • p . 119



F100 • p . 120



F001 • p . 122



F019 • p . 122



F003 • p . 125



F017 • p . 125



F006 • p . 126



F018 • p . 127





F002 • p . 128



F004 • p . 128



F005 • p . 13 0



F400 • p . 13 0



F008 • p . 13 3



F022 • p . 13 3



F011 • p . 13 4



F014 • p . 13 4



F013 • p . 13 5



F012 • p . 13 6



F016 • p . 13 7



F015 • p . 13 8

Decorative signs



A130 • p . 142



A140 • p . 142



A150 • p . 142



A160 • p . 142



A110 • p . 142



A120 • p . 142



A170 • p . 142



A175 • p . 142

Transport



T701 (+T801+T900) • p . 146



T001 (+T801+T900) • p . 148



T101+T201+T300+T400 • p . 15 0



U100+U200 • p . 15 4



T010 • p . 15 8



T020 • p . 15 9



U400 • p . 160



T050 • p . 164

Sand playground equipment



Z500 • p . 17 0



Z600 • p . 17 0



Z1210 • p . 17 1



Z1211 • p . 17 1



Z1212 • p . 17 1



Z400 • p . 17 2



Z200 • p . 17 3



Z100 • p . 17 4

Sandboxes




Z1818 • p . 17 9



Z1836 • p . 17 9



Z3618 • p . 17 9



Z3636 • p . 17 9



Z300 • p . 180



Z18182 • p . 181



R001 » R004 • p . 182

Climbing units



S425 • p . 186



S230 • p . 187



S231 • p . 187



S800 • p . 188



S810 • p . 189



S216 • p . 190



S124 • p . 190



S240 • p . 191



S285 • p . 193



S206 • p . 194



S205 • p . 196



K100 • p . 197



O600 • p . 198



O702 • p . 200



O700 • p . 200



N145 • p . 203

Toddler adventure trail



A400 • p . 206



A410 • p . 206




A420 • p . 206



A430 • p . 207



A440 • p . 207



A010 • p . 210



A020 • p . 212



A690 • p . 214



A050 • p . 213



A600 • p . 214



A610 • p . 215



A620 • p . 215



A680 • p . 216



A670 • p . 216



A660 • p . 217



A650 • p . 217



A640 • p . 218



S335 • p . 218



A630 • p . 219



S360 • p . 219



S361 • p . 220



S337 • p . 220



S336 • p . 221

Play towers



S420 • p . 224



S500 • p . 226



S530 • p . 228



S540 • p . 23 0



S520 • p . 23 2



S550 • p . 23 4



S600 • p . 23 8



S440 • p . 242



S580 • p . 244



S430 • p . 247



S431 • p . 247



S610 • p . 248



S620 • p . 25 0



C004 • p . 25 4



C005 • p . 25 5



C006 • p . 25 8



C007 • p . 260



C008 • p . 262



C001 • p . 264



C002 • p . 266





S005 • p . 27 0



S006 • p . 27 0



S007 • p . 27 1



S013 • p . 27 1



S008 • p . 27 2



S014 • p . 27 2



S004 • p . 27 2



S018 • p . 27 2



G112 • p . 27 4



G301 • p . 27 4



G121 • p . 27 4



G402 • p . 27 4



S009 • p . 27 6



S001 • p . 27 8



S019 • p . 27 8



S702 • p . 27 9



S704 • p . 27 9



S003 • p . 280



S033 » S042 • p . 280

Hill slides & outdoor stairs



G100 • p . 288



G600 • p . 289



E300 • p . 289



H512 • p . 290



H112 • p . 290



H521 • p . 290



H121 • p . 291



H600 • p . 291



T210 » T391 • p . 292




Sports and games



S911 • p . 296



S326 • p . 298



S321 • p . 299



S323 • p . 3 00



S325 • p . 3 00



S570 • p . 3 01



S573 • p . 3 02



S574 • p . 3 02



S575 • p . 3 02



S571 • p . 3 03



S343 • p . 3 05

Universe



E400 • p . 3 08



E100 • p . 3 08



E200 • p . 3 09



E590 • p . 3 10




E580 • p . 3 11



E581 • p . 3 11



E560 • p . 3 12



E561 • p . 3 12



E570 • p . 3 13



E571 • p . 3 13



E530 • p . 3 14



E531 • p . 3 14



E510 • p . 3 16



E511 • p . 3 16



E500 • p . 3 18



E501 • p . 3 18





P531 • p . 3 22



P560 • p . 3 22



P520 • p . 3 23



P200 • p . 3 24



P210 • p . 3 24



P570 • p . 3 26



P590 • p . 3 27



P571 • p . 3 28




P591 • p . 3 29

Borders & fencing



R906 • p . 3 3 2




A950 • p . 3 3 3




A180 • p . 3 3 3



A100Y • p . 3 3 4



2110 • p . 3 3 5



D080 • p . 3 3 5





Introduction

In the following pages, you will discover all about the production of our playground equipment and the new edition includes a new section focusing on inclusivity. Guaranteed fun for everyone!

Play values

The play value of a playground equipment is the summary of all play elements. The choosing playground equipment. We are proud that no other brand offers as much



Colours

Children love colours and experience them as a sign of joy. Colours help children express their emotions and make distinctions. Bright colours are a great attraction to children, therefore the hallmark of the "Europlay playground equipment".



Themes

Children always dream and fantasize while they are playing. They want to drive a fireman's car, fly like a real pilot, and explore the world as a train driver with a high speed train.


The Europlay themes create a world of experiences and entice the children's fantasies.

These playground equipment contribute to the development and creativity of little



When your imagination comes to life...

Scan me and watch the video!



Safety and warranty

S a f e t y

E u r o p l a y s t a n d s f o r i n n o v a t i v e , c h a l l e n g i n g a n d s a f e p l a y g r o u n d e q u i p m e n t . E a c h s a f e t y a n d c h i l d f r i e n d l i n e s s . T h e E u r o p e a n E N - 117 6 s a f e t y c e r t i f i c a t e i s p r o o f o f t h

W a r r a n t y*

L i f e t i m e w a r r a n t y

- o n s t a i n l e s s s t e e l c o m p o n e n t s (e x c e p t f o r m o v i n g & m e c h a n i c a l p a r t s)
- o n g a l v a n i s e d s t e e l c o m p o n e n t s
- o n H D P E p a n e l s

1 0 y e a r s

- o n c o r r o s i o n a n d s t r u c t u r a l f a i l u r e s o f p o w d e r c o a t e d s t e e l c o m p o n e n t s (e x c e p t f o r s p r i n g s , m o v i n g & m e c h a n i c a l p a r t s , a n d f i x i n g m a t e r i a l s)
- o n d r y r o t (l a r c h a n d o a k)
- o n s y n t h e t i c m a t e r i a l s

5 y e a r s

- o n s p r i n g s
- o n r o p e s a n d n e t c o m p o n e n t s

2 y e a r s

- o n s t r u c t u r a l f a i l u r e s o f c o m p o n e n t s d u e t o m a n u f a c t u r i n g e r r o r s

* T h e w a r r a n t y i s o n l y v a l i d f o r p l a y g r o u n d e q u i p m e n t .

* N o g u a r a n t e e c a n b e g i v e n i f w o o d e n p o s t s a r e i n s t a l l e d i n b a r k .

* T h e s p e c i f i c c o n d i t i o n s o f w a r r a n t y c a n b e f o u n d i n E u r o p l a y ' s g e n e r a l t e r m s a n





These environmentally friendly wood:

- no residual waste by avoiding the use of heavy metals)
- the use of certified wood; a PEFC certificate of origin is included
- the use of European types of wood protects the tropics and the emission of CO₂
- the application of the different types of wood according to the use makes that no further wood treatment is required



Corporate social responsibility

Some 5 % of Europlay's annual profits are donated to organisations which help children.

In this way dozens of children receive medical treatment in refugee camps in Iraq and schools in India, Cambodia and Gambia were supported.

In Belgium, help is provided to severely disabled children coming from dysfunctional families.

Apart from this all, Europlay also plants new trees in the rainforest.



**"A society grows great
when old men plant trees
whose shade they know
they shall never sit in."**

- Greek proverb



**Every child has
the right to play!**



Inclusive play

Euro play has a range of playground equipment suitable for children with disabilities



Some examples of inclusive playground equipment:



Accessible without assistance of others for children with mental or motor disabilities




S 410R
Toy shop



S 03 7
Clock



S 03 3
ABC + 123



S 03 8
OXO



S 93 5
Turning discs



Accessible with assistance of others for children with mental or motor disabilities



S 906
Teacup



Z 5 00
Scale



Z 200
Sand mill



8600
Kangaroo




S 17 0
Wooden flying saucer


For more information about inclusive playground equipment please go to p. 282 - 2



Materials and finishing




Anti-slip rock wall with polyethylene climbing hand grips



Synthetic hand grips



Vandalism resistant synthetic connection clamps. Metal parts are treated against corrosion and powder coated with polyester.



Polyethylene sheets with double coloured layer (sandwich panels)



Vandalism resistant protection caps made of polyamide



Vandalism resistant synthetic pole caps. Aluminum clamping system.



Stainless steel slide with HDPE safety boards



Ropes and nets polyp ropylene rope (Ø 16mm) with steel wire reinforcement




Round wooden poles (Ø 10, 12 and 14cm) cut out the pith. At the end each pole is neatly cut back and crowned.

Pole fixings


Direct in-ground fixing with concrete is required for some Europlay products with a high pulling force (e.g. adventure path equipment). Only durable wood types, like oak or another hardwood, are applied for this kind of direct fixing.

The beams of all remaining Europlay items never touch the surface. All vertical posts are put on galvanized metal post feet to support the fixing of the equipment (Type A: in-ground fixing, Type B: surface fixing).



Advantages:

- higher durability of the wood
- no concrete foundation required in many cases
- choice between in-ground base supports or surface-fix base supports
- in case of an already paved surface the base support (type B) can be adjusted so the equipment can be placed perfectly level
- no additional wood impregnation is required which makes it impossible for heavy metals to penetrate the ground
- easy to replace poles in the future



Type A 1: in-ground base support
Type A 2: in-ground base support
Type B: surface fix base support (adjustable)

Products without the reference "A/B" shall be installed into the ground by means of a concrete foundation.



Types of wood used

The natural life span of wood is being expressed according to a certain "durability above the ground (durability class III) and the use in the ground (durability class I



The most commonly used Douglas fir species is used as a durable, stable material in Europlank (class III). This type of wood is not suitable for use in outdoor applications. The softwood contains very little natural preservative, which makes it difficult to use in outdoor applications. The softwood has mostly been processed in the Europlank product range.



Wood with a natural durability. The inner, softwood poles are cut in pre-pregnated, untreated
outside the pith pole after 6m length, the after 6
The sawn timber has two parts: the treated with lime with the without the
sapwood (the outer part). In both, the poles come from a quartered saw of the heavy metal
(the inside of the trunk, timber). These are wood cut outside the pith
coloured). This heartwood is, which is usually a round pole is
the sapwood, naturally durable.

[illegible]

Europlay use seach type of wood according to its natural characteristics. This e any type of wood can be use d provided the sustainability will not be compromise



Metals, plastics and ropes



Metal

Three types of metal are being used: steel, aluminium and stainless steel.

All steel components are being sandblasted and treated with a protective layer of zinc, whereupon they receive a final colour by means of a polyester powdercoating. This entire treatment process offers high-quality colour fastness.

Aluminium parts are always anodised and coloured by means of a special powdercoating.

Stainless steel components offer a high durability and resistance to corrosion, as well as an everlasting good look.

All metal materials are 100% recyclable.



Plastics

Synthetic elements consist of polyethylene, polypropylene and PVC. The materials are selected and processed depending on the intended application.

All plastic components are UV-resistant and protected against colour changes.

HDPE polyethylene sheets (High Density Polyethylene) are produced specifically for the creation of playground equipment. This process adds value against deformations.

All synthetic panels are recyclable. The panels have been made out of recycled materials.



Ropes

Europlay's ropes and net constructions are made of galvanized steel cables. These consist of an interweaving of thin galvanized steel wires. This construction ensures rope flexibility and resistance against heavy overload and pulling force.

The galvanized steel wires are eventually covered with a special coating to make grabbing easier and give a pleasant feeling.

Ropes and nets are available in different attractive colors.



Shock-absorbing surface

According to the EN 1177, each piece of equipment with a fall height of 60 cm must be surrounded by a safety zone of 1.5 to 2 m around each piece of equipment.

An ordinary lawn is not a safe soft material and is generally accepted up to playgrounds, as soft lawn quickly turns into mud when it rains or in a layer of soft materials should be used.

Don't hesitate to contact us if you want more info.



Loose soil material



Solid soil material





Swings

Swinging is a great attraction for children. The child learns to control his balance and to discover the subject to real danger.

For each age a custom set of swings exists. Thus we have a set for every child.

For security reasons, we also recommend to install the swings in a safe area to avoid passers-by.



Materials

- type of wood: larch
- round wooden poles Ø 100, 120 and 140 mm cut outside the pith
- metal tubes Ø 60, 90, 130 and 140 mm and corner supports treated against corrosion and powder coated with polyester
- rubber seat, cradle seats, tyre seats and on galvanised chains.
- maintenance-free, stainless steel swinging
- HDPE polyethylene sheets



Fixing

- wooden swings are fixed into the ground by means of metal base supports
- metal swings are fixed directly into the ground


Small wooden swing - S160

 3,3 x 2,0 x 2,2 m

 1,20 m

 2 - 10

 2 ☺ - 4,5 ☹ 



(21 m² loose soilmaterial)
(18 m² solid soilmaterial)



L120

rubber seat




L130

trampoline seat

2 rubber seats L120 included.
The accessories can be combined.



L130







SWINGS

Heavy swing - S100 » S101

S101




(2 rubber seats L 120 included)



(26 m² loose soilmaterial)
(23 m² solid soilmaterial)

S100

(2 swinging tyres L 100 included)



(28 m² loose soilmaterial)
(24 m² solid soilmaterial)



L120
rubber seat



L130
cradle seat



L100
swinging tyre



The accessories can be combined.



S101


Wooden flying saucer - S170

3,9 x 2,6 x 2,8 m

1,60 m

3 - 15

2 ☺ - 4,5



(20 m² loose soilmaterial)
(18 m² soildsoilmaterial)



L170

L140

Inclusion swing set basket



SWINGS

The swing basket can be replaced by an inclusion swing seat. (L170)



Double Swing - S130 » S133

S130

(Swing basket and 2 rubber seats L 120 included)


7,4 x 2,6 x 2,8 m

1,60 m

3 - 15



2 ☺ - 6,5 ☹



(46,5 m² loose soilmaterial)
(53 m² solid soilmaterial)

S131

(Arched rubber seats L 120 included)


7,9 x 2,6 x 2,8 m

1,50 m

3 - 15



2 ☺ - 6,5 ☹



(51,5 m² loose soilmaterial)
(58,5 m² solid soilmaterial)



L120

rubber seat



L130

cradle seat



L100

swing tire



L170

inclusion swing



L140

swing basket

L 120 - L 130 - L 100 can be combined.

The swing basket of the S 130 can be replaced by a swing seat. (L 170)



S130 + L170 - L140


S132
(3 rubber seats L 120 included)

6,4 x 2,6 x 2,8 m

1,50 m

3 - 15

2 ☺ - 6,5 🚚



(40,5 m² loose soilmaterial)
(46 m² so lid soilmaterial)




S133
(Swing basket and rubber seat L 120 included)

5,9 x 2,6 x 2,8 m

1,60 m

3 - 15

2 ☺ - 6,5 🚚



(35,5 m² loose soilmaterial)
(40,5 m² so lid soilmaterial)



L120

rubber seat



L130

cradle seat



L100

swing tyre



L170

inclusion swing seat



L140

swing basket

L 120 - L 130 - L 100 can be combined.

The swing basket (L 140) of S 133 can be replaced by an inclusion swing seat. (L 170)



L130


Family swing - S110

 7,5 x 4,0 x 3,5 m

 1,75 m

 3 - 15

 2 ☺ - 8 ⌚ 



(35 m² loose so il material)
(32 m² so lid so il material)



Hexagonal swing - S150 » S151


S151
(6 seats with brace L 122 included)

6,7 x 5,9 x 2,6 m

1,40 m

4 - 15

3 ☺ - 6 ⌚ 🚚



(62 m² loose soilmaterial)
(57 m² solid soilmaterial)


S150
(6 tyre seats L 101 included)

6,7 x 6,1 x 2,6 m

1,50 m

4 - 15

3 ☺ - 6 ⌚ 🚚



(61 m² loose soilmaterial)
(56 m² solid soilmaterial)



L122

seat with brace



L130

or saddle seat



L101

tyre seat

The accessories can be combined.

S151 - 3 x L122 + 3 x L101




Toddler swing - S960

 1,8 x 0,3 x 1,7 m

 1,00 m

 0 - 4

 2 ☺ - 2 ⌚ 



(12 m² loose soilmaterial)

(10 m² soild soilmaterial)

(cradle seat L130 included)




Double toddler swing - S961

 2,8 x 0,3 x 1,7 m

 1,00 m

 0 - 4

 2 ☺ - 3 ⌚ 



(18 m² loose soilmaterial)

(16 m² soild soilmaterial)

(2 cradle seats L130 included)



S960



SWINGS


Metal T-swing - S185

 2,6 x 0,2 x 2,2 m

 1,20 m

 2 - 10

 2 ☺ - 4 ⌚ 



(25 m² loose soil material)
(22 m² solid soil material)



L120 rubber seat
L130 adjustable seat



(2 rubber seats L120 included)
The accessories can be chosen

Metal flying saucer - S171


 3,2 x 1,3 x 2,7 m

 1,60 m

 3 - 15



 2 ☺ - 4 ⌚ 



(20 m² loose soil material)
(18 m² solid soil material)



L140
swing basket



L170
inclusion
swing seat



The swing basket (L140) can be replaced by an inclusion swing seat


Metal swing - S190

3,2 x 1,2 x 2,7 m

1,50 m

4 - 15

2 ☺ - 4 ⌚ 🚛



(25 m² loose soil material)
(22 m² solid soil material)



L120



L130

rubber safety mat (2 rubber mats L120 included)
The accessories can be combined.





Bouncing & turning

Bouncing and turning is both playing and moving at the same time.

Children love it. Sitting or standing, turning or bouncing, swinging or hanging,...

Movement is central at any playground.



Materials (seesaws)

- type of wood: larch
- round wooden poles (Ø 12 and 14 cm) cut outside the pith
- metal tubes (Ø 3, 5, 9 and 13 cm) treated with a powder coated with polyester
- maintenance-free axes
- HDPE polyethylene sheets
- tyres or rubber shock absorbers



Materials (turning equipment)

- metal tubes (Ø 3, 5 and 9 cm) treated with a powder coated with polyester
- maintenance-free turning mechanisms
- HDPE polyethylene sheets
- tyres or rubber shock absorbers
- teacup S 906 in polyethylene
- walking barrels S 950 with reused tyres

Seesaw Socrates - S308


 3,6 x 0,9 x 1,4 m

 0,90 m

 4 - 12



 2 ☺ - 4 ⌚ 



(25,5 m²)




Seesaw Einstein - S303

 3,8 x 0,7 x 1,4 m

 0,95 m

 4 - 12

 2 ☺ - 3 ⌚ 



(25 m²)



Seesaw Newton - S302 » S300


S302 (2 p e r s o n s)

3,6 x 1,1 x 0,9 m

0,95 m

4 - 12

2 ☺ - 3 ⌚ 🚚



(17,5 m²)


S300 (4 p e r s o n s)

4,1 x 1,1 x 0,9 m


0,95 m

4 - 12

2 ☺ - 3 ⌚ 🚚



(19 m²)



S302

Seesaw Edison - S306 » S307


S306 (2 p e r s o n s)

3,7 x 1,1 x 0,6 m

0,95 m

3 - 12

2 ☺ - 3 ⌚ 🚚



(17,5 m²)


S307 (4 p e r s o n s)

4,2 x 1,1 x 0,6 m

0,95 m

3 - 12

2 ☺ - 3 ⌚ 🚚



(19 m²)



S306

Merry-go-round - S900

Ø 1,4 x 0,8 m

0,75 m

3 - 10

2 - 3



(23,5 m²)



Soil material is necessary when installing this playground equipment.



Saturn - S905

Ø 1,9 x 1,6 m

0,95 m

4 - 14

2 ☺ - 4 ⌚ 🚚



Soil material is necessary when installing this playground equipment.



Dancing flower - S940

∅ 0,5 x 1,3 m

0,16 m

3 - 8




1 ☺ - 1,5 ☹



BOUNCING & TURNING



Teacup - S906



(11,5 m²)



Soil material is necessary when installing this playground equipment.

Spider - S902




(24 m²)



Soil material is necessary when installing this playground equipment.


Satellite dish - S907



Soil material is necessary when installing this playground equipment.



Walking barrel - S950







Spring mobiles

Little children love playful and colourful characters swinging gently in all directions and allows a child to become a horse, a motorcycle or even a real aircraft.

The spring mobile range has many other applications possible, but also together with mum, dad and big brother or sister, controlling the physical exercise is a challenge for developing the sense of balance.



Materials

- types of wood: larch and padauk (tropical)
- HDPE polyethylene sheets
- steel springs (thickness 20mm)
- all metal components have been treated and powder coated with polyester
- bolts and nuts are fully covered by plastic flower-shaped protection caps



Fixing

- in-ground fixing

The springs have been designed in such a way that no one can ever get stuck. Moreover, the elasticity has also been calculated especially for children so that movement will always be guaranteed during play.




Racebike - 8040

1,1 x 0,4 x 0,8 m

0,70 m


2 - 6

1 ☺ - 3 ☹






As an extra play value, children can also spin the rear wheel that is movable.

Soil material is necessary when installing this playground equipment.







Duck - 8000



Soil material is necessary when installing this playground equipment.







Dolphin - 8300



Soil material is necessary when installing this playground equipment.





Pony - 8100



Soil material is necessary when installing this playground equipment.

Rabbit - 8200



Soil material is necessary when installing this playground equipment.


Motorbike - 8400

1,1 x 0,4 x 1,0 m

0,65 m

2 - 6

1 ☺ - 3 ☺



Soil material is necessary when installing this playground equipment.




Tortoise - 8030

0,9 x 0,4 x 0,9 m

0,50 m

2 - 6

1 ☺ - 3 ☺



Soil material is necessary when installing this playground equipment.




Half moon - 8010

 0,7 x 0,3 x 0,8 m

 0,50 m

 2 - 6

 1 ☺ - 3 ☺



Soil material is necessary when installing this play round equipment.


Kangaroo - 8600

 0,9 x 0,4 x 1,1 m

 0,50 m


 2 - 6 

 1 ☺ - 3 ☺




Soil material is necessary when installing this play round equipment.

Full moon - 8020



Soil material is necessary when installing this playground equipment.

Super seesaw - 8800



Soil material is necessary when installing this playground equipment.





8200



8100







Double duck - 8900



Soil material is necessary when installing this playground equipment.

Sunflower - 8700



Soil material is necessary when installing this playground equipment.


Balance bench - 8070

 2,7 x 2,7 x 0,5 m

 0,50 m

 4 - 15

 2 ☺ - 5 ☹ 



(32,5 m²)



Soil material is necessary when installing this playground equipment.




Surfboard - 8060

 2,2 x 0,9 x 2,6 m

 0,80 m

 4 - 15

 2 ☺ - 4,5 ⌚ 



Soil material is necessary when installing this playground equipment.




Spring board - 8065

 1,5 x 0,5 x 0,5 m

 0,45 m

 4 - 15

 2 ☺ - 2 ⌚ 



Soil material is necessary when installing this playground equipment.







Toddler corner

Toddlers want to explore the world and love to experience things down gently. Colours and nice figures stimulate their imagination.

Children want to discover playing options themselves, to evaluate and deal with what they are already able to do and how to achieve their goals. They learn from each other as well.

When children play, they significantly develop their motor and physical skills.



Materials

- type of wood: larch and oak
- HDPE polyethylene sheets
- metal parts treated against corrosion and polyester


Snail - G710 (A/B)

 1,6 x 1,1 x 0,9 m

 0,40 m

 1 - 3

 2 ☺ - 2 ☹



(17 m²)

This product is largely
preassembled.




Butterfly garden - G700 (A/B)

2,1 x 1,4 x 1,4 m

0,40 m

1 - 3

2 ☺ - 2 ☹



This product is large pre assembled.



Prince & princess - G801 (A/B)


 2,1 x 0,7 x 1,4 m

 0,55 m

 1 - 3



 2 ☺ - 1,5 ☹



(18,5 m²)

Completely preassembled.




Cowboy & indian - G802 (A/B)

2,1 x 0,7 x 1,4 m

0,55 m

1 - 3

2 ☺ - 1,5 ☹



Completely preassembled



TODDLER CORNER




Heroes - G800 (A/B)

3,1 x 0,7 x 1,4 m

0,55 m

1 - 3 

2 ☺ - 1,5 ☹



Completely preassembled.



TODDLER CORNER


Pirate island - G803 (A/B)

2,1 x 1,1 x 1,4 m

0,55 m

1 - 3 

2 ☺ - 1,5 ☹



Completely preassembled.





Toddler village

Toddlers adore security!

Little children like to play hide and seek, to play games separate themselves from the outside world. Each child has their own world from reality...

Themes such as mushroom or animal characters are integrated into the natural environment.



Materials

- types of wood: larch and oak
- round wooden poles (Ø 10 and 12 cm) cut outside the pith
- 9x9cm square posts
- stainless steel slide with HDPE safety boards or plastic slide
- roof shelves with tongue and groove system
- polyethylene crawl tunnel
- HDPE polyethylene sheets
- all metal components have been treated with powder coated with polyester
- polypropylene ropes and nets (Ø 16 mm) with steel wire reinforcement
- synthetic climbing grips
- flowers, mushrooms and stepping posts of coloured recycled rubber



Fixing

- metal base supports for in-ground (type A) or surface (type B) fixing

Goblin house - S400 (A/B) (incl. two benches and one table)


1,7 x 1,5 x 2,0 m

0,70 m

3 - 8



2 ☺ - 4 ☹



Toy shop - S410R » S410G (A/B) (incl . one bench and one table)


● S410R - ● S410G

1,7 x 1,6 x 2,0 m

0,80 m

3 - 8

2 ☺ - 4,5 ☹



TODDLER VILLAGE


Happy duo - G200 (A/B)

3,0 x 1,0 x 1,6 m

0,85 m

2 - 6

2 ☺ - 3 ⌚



(20,5 m²)

This product is largely
preassembled.



G200



TODDLER VILLAGE

THE CATERPILLAR & THE APPLE

15% of children under 10 are overweight with only four in ten eating enough fruit and vegetables.

HOW TO ENCOURAGE YOUR KIDS TO EAT MORE HEALTHY FOOD?


In order to unconsciously influence a child's behaviour and decisions, link their learning to their surroundings is a powerful way to influence their choices. Healthy food becomes more tempting by linking it to a fun experience. This attractive playground equipment in children's parks will demonstrate that eating fruit and vegetables is a fun and healthy choice.

When children focus on the possible experience of their surroundings is a powerful way to influence their choices. Healthy food becomes more tempting by linking it to a fun experience. This attractive playground equipment in children's parks will demonstrate that eating fruit and vegetables is a fun and healthy choice.



HOW DO YOU ENCOURAGE CHILDREN TO PLAY MORE?

Research shows that play ground equipment in the shape of an animal, especially for small children, is very attractive.



Play ground equipment with a theme invites children, but also encourages them to eat healthy foods, and at the same time stimulates movement.



G719



The caterpillar & the apple - G718 » G720 (A/B)



Tremble tail




Crawl hole



Climbable
sidewalls



Abacus



Stainless steel
or plastic slide



Sliding puzzle L719



Four in a row L720




Crawl tunnel

Optional: 2 play panels for G 719 & G 720



The caterpillar & the apple - G718 » G720 (A/B)

G718 (stainless steel slide) G719 (stainless steel slide) G720 (stainless steel slide)
 G7181 (plastic slide) G7191 (plastic slide) G7201 (plastic slide)



G718



G719



G720



G7181



G7191



G7201



Optional: 2 play panels for G719 & G720

The play panels can be installed in the front section of the shorter version



Sliding puzzle
L719



Four in a row
L720



G720 + L720 + L719



G7191



G718




Baby lobster - G550 » G553 (A/B)

2,3 x 1,7 x 1,9 m

1 m

2 - 6

2 ☺ - 2,5 🚚



(21,5 m²)



G550

(stainless steel slide with straight fireman's pole)

G551

(stainless steel slide with spiral fireman's pole)

G552

(plastic slide with straight fireman's pole)

G553

(plastic slide with spiral fireman's pole)

This product is largely preassembled.

G553




Lion's den - G500 » G501 (A/B)

3,1 x 1,9 x 1,6 m

1 m

2 - 6

2 ☺ - 3 ⌚ 🚚



G500 (stainless steel slide)
G501 (plastic slide)



This product is largely
preassembled.

* Drawing not fully complete



Mammoth - G560 » G567 (A/B)

4,7 x 1,9 x 1,9 m

1 m

2 - 6

2 ☺ - 5 ⌚ 🚚

G560 A/B



G561 A/B



G562 A/B



G563 A/B



G560

(stainless steel slide, arched bridge, straight fireman's pole)

G561

(stainless steel slide, crawl tunnel, straight fireman's pole)

G562

(stainless steel slide, arched bridge, spiral fireman's pole)

G563

(stainless steel slide, crawl tunnel, spiral fireman's pole)

G564 A/B



G565 A/B



G564

(plastic slide, arched bridge, straight fireman's pole)

G565

(plastic slide, crawl tunnel, straight fireman's pole)

G566

(plastic slide, arched bridge, spiral fireman's pole)


G567

(plastic slide, crawl tunnel, spiral fireman's pole)

G566 A/B



G567 A/B



This product is largely preassembled.


G560




TODDLER VILLAGE

Paradisio - G510 » G511 (A/B)

G510 (stainless steel tubes)



G511 (stainless steel slide)





G510


Crawling hole - G570 (A/B)

 1,5 x 0,7 x 1,3 m

 0,70 m

 2 - 8

 2 ☺ - 1,5 ☺



This product can also be combined with the play panels. To discover on page 110.



G570 + 2 x S032 + S033R/G + S035



Stepping posts - A691 » A693


Ø 0,30 m


0,60 m


2 - 6


1 ☺ - 1,5 ☹ 🚚

Coloured recycled rubber may be placed on grass, or on a concrete surface.

When installing multiple stepping posts, the installation time is increased with 0,5 h per stepping post.

A691 - H 20 cm



A692 - H 40 cm



A693 - H 60 cm



Flower - S924

Ø 0,6 x 0,5 m

0,50 m

2 - 10

1 ☺ - 1,5 ☺

Coloured recycled rubber;
may be placed on grass and
on a concrete surface

S924-1
red / yellow

S924-2
blue / yellow



Giant mushroom & spinning mushroom - S920 » S923

2 - 10

1 ☹ - 1,5

Ø 0,5 x 0,4 m

0,40 m

Ø 0,5 x 0,6 m

1,0 m

Ø 0,5 x 0,6 m

0,60 m



A safety zone of 1.5 m should be respected around the S 923 . Maybe placed in clusters





Play panels

Educational play panels allow little children to develop in a playful manner.

Children are being stimulated to count, to develop play, to experiment with sounds, and to develop moving elements integrated in the play panels.



Materials

- type of wood: larch
- round wooden poles (Ø 10 cm) cut out to the desired length
- metal tubes in stainless steel or powder-coated steel
- UV-resistant plastic play components
- HDPE polyethylene sheets







Materials (megaphones)

- 100% stainless steel


Arched abacus - S931 (A/B)

Preassembled and suitable for installation on a paved surface.



Abacus disk panel - S930 (A/B)

Preassembled and suitable for installation on a paved surface.



Turning elements - S935»S937

S 9 3 5 u-r-n-i-n-g d-i-s-c-s

S 9 3 6 o-a-t s-t-e-e-r-i-n-g

S 9 3 7 c-a-r s-t-e-e-r-i-n-g w-h-e-e-l

0,35 x 0,25 x 0,8 m

1 - 5

1 ☺ - 1 ☹

Preassembled.



Megaphones - S933 (per set)

M 0 0 c 4 - n-n-e-c-t-i-o-n t-u-b-e b-e-t-w-e-e-n 2 m-e-g-a-p-h-o-n-e-s - p-e-r l-i-n-e-a-r m-e-t-e-r

0,5 x 0,3 x 1,5 m

2 - 6

1 ☺ - 1,5 ☹

max. 25 m



S033G + S034 + S037 + 4xS032



S036 + 2xS032



Play panels - S032 » S042


1, 0 x 0, 1 x 0, 8 m



2 - 8





1 ☺ - 0, 5 ☹

4 fixing clamps are included in each panel. However, the wooden fixing posts should be ordered separately (a piece).

ABC + 123 - ● S033R / ● S033G



Scoreboard - S036




Clock - S037




Shop - S035



Abacus - S034



OXO - S038




Fixing post - S032 (A/B)



Rainbow - S039



Rotating drum - S040



Sliding puzzle - S041



Four in a row - S042



S038 + 2 x S032B





Fairyland

Fairy nice ...

A series of play houses, towers and connection bridges for the little ones.

The combination of round wood with colourful HDPE is an enchanting sight.

A stay in this wonderland is a surprising discovery.



Materials

- type of wood: larch
- round wooden poles (Ø 10 cm) cut to suit slide
- HDPE polyethylene sheets
- all metal components have been treated with powder coated with polyester
- polypropylene ropes and nets (Ø 16 mm) with steel wire reinforcement
- stainless steel slide with HDPE safety boards or plastic slide
- synthetic hand grips, climbing grips, slides
- polyethylene crawl tunnel



Fixing

- metal base supports for in-ground (type A) or surface (type B) fixing


Hansel and Gretel - F200 (A/B)

 2,2 x 1,9 x 2,3 m

 0,55 m

 2 - 6 

 2 ☺ - 6 ⌚ 





Tinker Bell - S932 (A/B)


1,6 x 0,7 x 1,7 m

0,70 m

2 - 6



2 ☺ - 2 ⌚



Cinderella - F500 » F501 (A/B)


2,6 x 1,7 x 1,8 m

F500 (st a i n l e s s s t e e l s l i d e)
F501 (p l a s t i c s l i d e)

1 m

2 - 6

2 ☺ - 4 ⌚



S932



FAIRYLAND

F500





F700



F900


Peter Pan - F700 » F701 (A/B)

3,0 x 1,6 x 1,9 m

1 m

2 - 6

2 ☺ - 5 ⌚ 🚚



F700 (stainless steel slide)
F701 (plastic slide)




The Little Mermaid - F900 » F901 (A/B)

3,0 x 2,2 x 2,3 m

1 m

2 - 6

2 ☺ - 5 ⌚ 🚚



F900 (stainless steel slide)
F901 (plastic slide)



Snow White - F100 » F101 (A/B)

F100 (stainless steel slide)


F101 (plastic slide)

 2,8 x 2,2 x 2,9 m

 1 m

 2 - 6

 2 ☺ - 6 ⌚ 



F100






Beauty and the Beast - F001 » F019 (A/B)

4,8 x 2,2 x 2,9 m

1 m

2 - 6

2 ☺ - 10 ☹



(37 m²)

F001 (stainless steel slide and arch ed bridge)
 F0011 (plastic slide and arch ed bridge)
 F019 (stainless steel slide and cr aw l tunnel)
 F0191 (plastic slide and cr aw l tunnel)

F001



F0011



F019



F0191



F019



FAIRYLAND

F001





F003




The Wolf and the Seven Little Goats - F003 » F017 (A/B)

4,4 x 2,2 x 2,9 m

1 m

2 - 6

2 ☺ - 10 ⌚ 🚚



(34,5 m²)

F003 (stainless steel slide and arched bridge)
F0031 (plastic slide and arched bridge)
F017 (stainless steel slide and crawl tunnel)
F0171 (plastic slide and crawl tunnel)

F003



F017



F0031



F0171




The Pied Piper of Hamelin - F006 » F0061 (A/B)

6,5 x 2,3 x 2,4 m

1 m

2 - 6

2 ☺ - 11 ☹ 🚚



(45 , 5 m ²)

F006 (st a i n l e s s s t e e l s l i d e)
F0061 (p l a s t i c s l i d e)




Merlin the Magician - F018 » F0181 (A/B)

5,4 x 3,3 x 2,9 m

1 m

2 - 6

2 ☺ - 15 ⌚ 🚚



F018 (stainless steel slide)
F0181 (plastic slide)



FAIRYLAND




Aladdin and the Wonderful Lamp - F002 » F0021 (A/B)

4,1 x 2,3 x 2,9 m

1 m

2 - 6

2 ☺ - 9 ☺ 🚚



F002 (stainless steel slide)
F0021 (plastic slide)




Ali Baba and the Forty Thieves - F004 » F0041 (A/B)

4,0 x 2,3 x 2,4 m

1 m

2 - 6

2 ☺ - 8 ☺ 🚚



F004 (stainless steel slide)
F0041 (plastic slide)



F002



FAIRYLAND

F004




Town Musicians of Bremen - F005 (A/B)

4,0 x 1,9 x 2,4 m

0,55 m

2 - 6

2 ☺ - 8 ☺ 



(33,5 m²)




Sleeping Beauty - F400 » F401 (A/B)

3,2 x 3,0 x 4,4 m

1,95 m 

2 - 6


2 ☺ - 20 ☺ 



(36,5 m²)

F400 (stainless steel slide)
F401 (plastic slide)

From a spiral staircase, children can reach the upper floor.



F400



FAIRYLAND

F005





The Frog Prince - F008 » F022 (A/B)


4,6 x 4,0 x 4,4 m

1,95 m

2 - 6



2 ☺ - 22 ⌚ 🚚




(34,5 m²)

F008 (stainless steel slide and crawl tunnel)
 F0081 (plastic slide and crawl tunnel)
 F022 (stainless steel slide and arched bridge)
 F0221 (plastic slide and arched bridge)

F008




F0081



F0221



F022




Puss in Boots - F011 » F0111 (A/B)

 4,6 x 4,1 x 4,4 m

 1,95 m

 2 - 6
 

 2 ☺ - 21 ☺ 



F011 (st a i n l e s s s t e e l s l i d e)
F0111 (p l a s t i c s l i d e)




The Hunchback of Notre-Dame - F014 » F0141 (A/B)

 6,4 x 4,4 x 4,4 m

 1,95 m

 2 - 6
 

 2 ☺ - 27 ☺ 



F014 (st a i n l e s s s t e e l s l i d e)
F0141 (p l a s t i c s l i d e)



Bluebeard - F013 » F0131 (A/B)


6,4 x 5,4 x 4,4 m

1,95 m

2 - 6



2 ☺ - 30 ⌚



(61 m²)

F013 (st a i n l e s s s t e e l s l i d e)

F0131 (p l a s t i c s l i d e)



FAIRYLAND



F013

The Ugly Duckling - F012 » F0121 (A/B)


7,9 x 5,4 x 4,4 m

1,95 m

2 - 6



2 ☺ - 33 ⌚



F012 (stainless steel slide)
F0121 (plastic slide)



F012



The Snow Queen - F016 » F0161 (A/B)


7,9 x 7,4 x 4,4 m

1,95 m


2 - 6



2 ☺ - 36 ⌚



F016 (stainless steel slide)
F0161 (plastic slide)



Three Little Pigs - F015 » F0151 (A/B)


7,9 x 7,4 x 4,4 m

1,95 m

2 - 6




2 ☺ - 39 ⌚ 🚚



F015 (stainless steel slide)
F0151 (plastic slide)







VBS
De Kleurenboog



Decorative signs

Our decorative fence signs with child-friendly designs can be attached to any existing fence or wall.



Materials

- HDPE polyethylene sheets with double layer (sandwich system; thickness 15 mm)



Fixing

- no fixing materials included, except plastic screw protection caps

Decorative signs - A130 » A175

Bee - A130



0,4 x 0,4 x 0,02 m

Sun - A140



0,4 x 0,4 x 0,02 m

Flower - A150



0,4 x 0,4 x 0,02 m

Butterfly - A160



0,5 x 0,4 x 0,02 m

Cloud - A110



0,6 x 0,4 x 0,02 m

Moon - A120



0,4 x 0,4 x 0,02 m

Star - A170



0,4 x 0,4 x 0,02 m

Smiley - A175



0,3 x 0,3 x 0,02 m



This is how a bare wall becomes more attractive to children.





Transport

No dream destination is beyond reach to our children.

Thanks to the wide range of means of transport, their favourite hideaway!

An absolute must for any playground.



Materials (truck – safari trucker – train)

- type of wood: larch (upper construction) and oak (girders)
- larch boards (thickness 22, 35, 45 and 57 mm)
- synthetic hand grips, climbing grips and slides
- HDPE side panels, crawl holes and wheel covers
- glued arches
- polypropylene ropes and nets Ø 16 mm with steel wire reinforcement
- fireman's pole has been treated against rot and powder coated with polyester



Materials (viking boat, tornado, Europlay Express, police car, fireman's car)

- Type of wood: larch and oak
- Sleepers in tropical hardwood
- round wooden poles Ø 100, 120, 140 and 160 mm cut outside the pith
- larch boards 22, 35, 45 and 57 mm
- HDPE polyethylene sheets
- all metal components have been treated against corrosion and powder coated with polyester
- polypropylene ropes and nets Ø 16 mm with steel wire reinforcement
- synthetic hand grips, climbing grips, steel connection clamps and tyres
- stainless steel slide with HDPE safety bottom plastic slide
- Glued arches



Fixing

- metal base supports for in-ground (type A) or surface (type B) fixing

Safari trucker (with trailer) - T701 (+ T801 + T900) (A/B)


T701 (safari trucker) (A/B)

2,3 x 1,1 x 1,2 m

0,60 m

2 - 8

2 ☺ - 1 ⌚



(21 m²)


T701+T801+T900 (safari trucker with trailer) (A/B)

4,8 x 1,1 x 1,3 m

0,60 m

2 - 8

2 ☺ - 2,5 ⌚



(31,5 m²)




T900
(connection bridge)



A car with a ladder and a crawl tunnel. A car with a steering wheel and a ladder for the little ones. A dashboard in the middle and two benches in the middle and back. Comes preassembled. The car with a steering wheel and a ladder for the little ones. A dashboard in the middle and two benches in the middle and back. Comes preassembled.

Can stand free on the ground with fixation. Ideal for schools or terrains with a paved playground.

The safari trucker is connected with the trailer by a connection bridge.



T701



TRANSPORT

T701 + T900 + T801



Truck (with trailer) - T001 (+T801+T900) (A/B)


T001 (truck) (A/B)*

5,7 x 1,0 x 1,8 m

2 - 8

0,60 m

2 ☺ - 2 ☹



(35 m²)


T001+T801+T900 (truck with trailer) (A/B)

8,3 x 1,0 x 1,8 m

2 - 8

0,60 m

2 ☺ - 3,5 ☹



(45 m²)



T900
(connection bridge)



A truck, fully preassembled, delivered in two parts, with a multitude of playing options on a hard surface without fixation. Shock-absorbing soil material is recommended, but not necessary.

The trailer T801 can also be added by means of the connection bridge T900.





T001



Train - T101 » T400 (A/B)

T101 + T201 + T300 + T400 + 3 x T500

(closed roof) (A / B)

A train, completely preassembled, with or without wagons. Can be connected to each other with a connection bridge. The whole can stand free without fixation, which is ideal for schools with a paved playground.

T102 + T202 + T300 + T400 + 3 x T500

(open roof) (A / B)

T101















(loco motive) (A / B)

T102

(loco motive open roof) (A / B)

T400




(wagon) (A / B)



T102 + T202 + T500

T300 (tank wagon) (A / B) **T201** (passenger carriage) (A / B) **T202** (passenger carriage) (A / B) **T500** (connection bridge)

 1,8 x 0,9 x 1,0 m	 1,9 x 1,0 x 1,7 m	 1,9 x 1,0 x 1,7 m	 0,5 x 0,3 x 0,2 m
 0,95 m	 0,30 m	 0,30 m	 n.v.t.
 2 - 8	 2 - 8 	 2 - 8 	 2 - 8
 2 ☺ - 1 ☹ 	 2 ☺ - 1 ☹ 	 2 ☺ - 1 ☹ 	 1 ☺ - 0,5 ☹



Order one piece per wagon



T101 + T201 + T300 + T400 + 3 x T500





Viking boat - U100 » U300 (A/B)

Playground equipment in the shape of a Viking boat built in two parts.

In front the stem (ref. U100) with a dragon head, a net, four tyres in the shape of shields and crawl holes everywhere.

The stern (ref. U200) consists of a steering wheel, a climbing mast, a fireman's pole, a climbing net, a climbing ladder and has several additional possibilities, such as climbing arch, rock wall, net, monkey ladder, sand corner, etc.

When lack of space, instead of a complete stern (ref. U200) you can opt for a crow's nest with pirate flag (ref. U300).

U100 + U200 + S005 + S006 - 2 x L740R



The flag can also be delivered without a skull.




U100 (st e m) (A)

 5,0 x 2,6 x 3,4 m

 1, 20 m

 4 - 12

 2 ☺ - 9 ⌚ 



(3 9 m ²)




U300 (crow's nest)(A)

 2,1 x 2,0 x 4,1 m

 2, 10 m

 4 - 12

 2 ☺ - 5 ⌚ 



(28 m ²)




U200 (st e r n) (A / B)

 5,0 x 2,5 x 4,1 m

 2, 10 m

 4 - 12

 2 ☺ - 12 ⌚ 



(42,5 m ²)




U100 (A) + **U200** (A / B)

 11,0 x 2,6 x 4,1 m

 2, 10 m

 4 - 12

 2 ☺ - 21 ⌚ 



(7 0 m ²)







U100 + U200 + G301 - L740R



Viking boat - U100 » U300 (A/B)

U100 (A) U300 (A)



(62,5 m ²)

Add-on elements (optional):



S 005
m o n k e y l a d d e r



S 006
c l i m b i n g a r c h



S 007
r o c k w a l l



S 009
s a n d c o r n e r



S 013
n e t c l i m b e r



S 019
s m a l l b e n c h



G 112
s t a i n l e s s - s t e e p s l i d e



G 3 01
p l a s t i c s l i d e

with 3 seats (1m width) (0,60m width)



S 03 3 - S 042
p l a y p a n e l



L 7 40R/G
f e n c e



L 7 64
p a n e l t o b e d e d u c t e d

panel to be deducted





U100 + U200 + S006 + G112 - 2xL740R



Police car - T010 (A/B)


4,8 x 1,5 x 1,5 m

1,2 m

2 - 6



3 ☺ - 1 ☹



This product is largely preassembled. The name "police" on the side can be modified upon request. The equipment is accessible through several crawl holes at both ends.



Fireman's car - T020 (A/B)


4,8 x 1,5 x 1,5 m

1,2 m

2 - 6



3 ☺ - 1 ☹



This unit consists of the same basic structure as the police car (T 010). However, the equipment has been personalised thanks to a switch of colours and next to the removal of text in the side panels.



TRANSPORT



Tornado - U400 » U401 (A/B)

U400 (stainless steel slide) (A/B)


U401 (plastic slide) (A/B)

 9,7 x 6,5 x 2,7 m

 1,50 m

 4 - 10

 3 ☺ - 24 ☺



(85,5 m²)

Every child dreams of becoming a pilot one day!

The jet fighter offers a high number of play possibilities and is a must-have item for any large playground.

This equipment contains the most play values of all Europlay products for children of all ages.






Tornado - U400 » U401 (A/B)



The jet engines form a 3,5 metre labyrinth of crawl tunnels.



The name Tornado or Europlay or panels can be modified upon request.



Europlay Express - T050 (A/B)

9,0 x 1,2 x 2,2 m

1,50 m

2 - 8




3 ☺ - 8 ☹

Our exclusive eye catcher!


The Europlay express has a total length of 9 metres and is largely preassembled (3 parts). This thematic playground equipment offers a large variety of play. The texts engraved in the side panels can be modified and personalised upon request.


B050

(6 foundation sleepers for a loose surface)




(52 m²)





Europlay Express - T050

Variety of play values:







Sand playground equipment

A recurring success story, the sandbox remains the beach and the dunes. Indispensable to everyone, everything possible, from baking cakes to building



Materials

- types of wood: larch, oak and padouk for
- round wooden poles (Ø 10 and 12 cm) cut outside the pith
- sand bucket, tube and wheel made of syn
- metal sand crane treated against corrosion with polyester
- synthetic tyres (Z 100)
- HDPE polyethylene table panels
- stainless steel tube for abacus (Z 500)
- sand playground equipment in stainless (Z 1210, Z 1211, Z 1212)
- sand digger completely in stainless steel


Scale - Z500

 1,6 x 0,3 x 0,7 m

 0,55 m

 2 - 8 

 2 - 3 




Sand digger - Z600

 1,4 x 0,3 x 0,8 m

 0,45 m

 2 - 6

 1 ☺ - 1,5 ⌚ 




Sand tube with beam - Z1210

0,3 x 0,4 x 1,0 m

2 - 6

1 ☺ - 1,5




Sand cone with beam - Z1211

0,4 x 0,3 x 1,0 m

2 - 6

1 ☺ - 1,5




Sand sieve with beam - Z1212

0,4 x 0,5 x 1,0 m

2 - 6

1 ☺ - 1,5



Sand table - Z400


1,4 x 1,1 x 1,8 m

1,0 m

2 - 6



2 ☺ - 3 ⌚ 🚚




Sand mill - Z200

1,4 x 0,4 x 1,7 m

0,65 m

2 - 6



2 ☺ - 3 ⌚ 🚲



Magic dragon - Z100 » Z102

Z100





(full unit)



(24 m²)




Z101

(front section with tube a (pre drag ot nich new dth) sand crane an


 $(15,5 \text{ m}^2)$

Z102

a (hræ d r æg o t n i o h n e w d t h) s a n d c r a n e a n



(16 m²)





Z101



Z102



Z100





Sandboxes

A recurring story, sand remains indispensable to children.

A sandbox has to be functional, durable and environmentally friendly. It must also provide a good value for money thanks to the materials used. The materials used for sandboxes are sleepers, boards and roundwood.



Materials

- types of wood: larch ; ash ; pins ; beams in pine
- pre-drilled beams (90x 90 mm) with corner connectors
- sliding covers 22, 35 and 45 mm
- filter cloth to lay at the base included
- cover in polyethylene
- HDPE polyethylene seats
- synthetic boat steering wheel and handle
- cover board sand boat (Z 300) made of HDPE
- sandbox borders from coloured recycled plastic (R001, R002, R003 , R004)

Z18181



Z1818






Beam sandbox and cover - Z1818 » Z3636

Z1818

Z18181 (with 4 seats)

N1818 (cover)





(24 m²)



Z1836

Z18361 (with 8 seats)

N1836 (cover)




(33 m²)




Z3618

Z36181 (with 10 seats)

N3618 (cover)




(42 m²)




Z3636

Z36361 (with 12 seats)

N3636 (cover)



(45 m²)



Sand boat - Z300


2,8 x 1,9 x 1,1 m

0,40 m

2 - 6



2 ☺ - 3 ⌚



(26 m²)



Sandbox with sliding covers - Z18182 (A/B)

A sandbox with an extendable cover which can be locked both in open and closed. The cover can also be used as a seat or as a play table.


 3,8 x 2,3 x 0,5 m

 0,45 m

 1 - 10



 2 ☺ - 5 ⌚



(35 m²)



SANDBOXES





Sandbox border in rubber - R001 » R004

Made from beautifully coloured light red/brown recycled rubber, this is the ideal material. These elastic rubber borders with soft rounded edges allow children to play with



R001

Edge border




R002

Rounded sandbox edging





Connecting pin included





R003

Edge corner



R004

Block step



R200

SODAL
Glue tube 310 ml



R201

Glue gun





SANDBOXES

R002



R003







Climbing units

Climbing and scrambling are very important activities for children as they learn to develop power, agility and body control.

On the following pages you can find an overview of our climbing equipment. Each climbing unit is considered both a challenge and a game. The child reaches the net, reaches the crow's nest or bridges the moat to perform a task!

Moreover, all climbing units have been designed to be safe and fun for a variety of ages at the same time.



Materials (S230, S231, S216, S124, S240, S285, S206, S205, S425, S810, S820, S207)

- types of wood: larch and oak
- round wooden poles ($\varnothing$ 10 and 12 cm) cut outside the pith
- incorporated rungs (thickness 40 mm)
- metal rungs ($\varnothing$ 35 mm)
- synthetic climbing and hand grips
- polypropylene ropes and nets ($\varnothing$ 16 mm) with reinforcement
- all metal components have been treated with powder coated with polyester
- HDPE polyethylene sheets
- waterproof anti-slip board (thickness 10 mm)
- synthetic tyres



Materials (goblin nest S425)

- oak (in ground) and larch (above ground)
- synthetic tyre



Materials (football)

- metal tubes $\varnothing$ 35 and 127 mm
- all metal components have been treated with powder coated with polyester
- aluminium and synthetic clamps
- HDPE polyethylene sheet material and ropes
- ropes and nets in 16 mm polypropylene rope with steel-wire reinforcement



Materials (space shuttle (O702) and windmill (O700))

- central round wood post $\varnothing$ 140 mm in larch
- diagonal braces and supports in padouk
- galvanised metal supports
- metal tubes $\varnothing$ 35 mm treated against corrosion
- powder coated with polyester
- slip resistant floor
- nets in 16 mm polypropylene rope with steel-wire reinforcement



Materials (net climbers)

- N 125 and N 130: beams of 90 mm
- N 145 and N 165: beams of 150 mm
- ropes in 16 mm polypropylene with steel-wire reinforcement



Materials (climbing wall K100)

- HDPE polyethylene sheet material
- frame in larch
- synthetic climbing grips



Fixing

- metal base supports for in-ground fixing


Goblin nest - S425

1,9 x 1,8 x 0,6 m

0,60 m

2 - 6

2 ☺ - 2,5 ☹




Climbing pyramid - S230

2,0 x 2,0 x 2,2 m

1,70 m

4 - 10

2 ☺ - 3 ⌚ 🚚




Wim wam climbing frame - S231

2,0 x 2,0 x 2,2 m

1,70 m

4 - 10

2 ☺ - 3,5 ⌚ 🚚



Criss-cross - S800

 2,8 x 2,5 x 2,1 m

 0,95 m

 6 - 12

 2 ☺ - 4 ⌚ 



Mikado - S810 » S820


S810 - M i k a d o

2,3 x 2,6 x 1,9 m

1,00 m

6 - 12

2 ☺ - 5 , 5





S820 - M i k a d o w i t h w i g g l e w a g g l e

6,2 x 2,6 x 1,9 m

1,00 m

6 - 12

2 ☺ - 8, 5



Scramble net - S216

 2,1 x 0,3 x 2,2 m

 2, 10 m

 3 - 10

 2 ☺ - 2 ⌚ 



(23 m²)




Zigzag - S124

 4,7 x 2,1 x 2,3 m

 2, 25 m

 4 - 8

 2 ☺ - 4, 5 ⌚ 



(5 2,5 m²)




Climbing box - S240

1,8 x 1,7 x 1,6 m

1,40 m

3 - 10

2 ☺ - 3 ⌚ 🚲






Nautical climber - S285

3,1 x 2,2 x 2,1 m


2, 10 m

6 - 12

2 ☺ - 5 ⌚ 🚚



(40 m²)



CLIMBING UNITS



Eagle's nest - S206 » S207


S206 (with stainless steel tubes)

4,8 x 2,9 x 2,9 m

2,00 m

6 - 12

2 ☺ - 8 ⌚ 🚚




S207 (with tube staircase)

3,0 x 2,9 x 2,9 m

2,00 m

6 - 12


2 ☺ - 8 ⌚ 🚚





S207



Hexagonal climber - S205



* Drawing not fully compliant



Climbing wall - K100



Fixation :

- fixation to the wall with anchor bolts
- delivered with a frame to which the panels will be attached

To be ordered by piece .




Football - O600


 Ø 2,6 x H 2,8 m


 2, 10 m


 6 - 12


 3 ☺ - 8 ⌚ 



A v a i l a b l e f r a m e c o l o u r s :



A v a i l a b l e p a n e l c o l o u r s :



A v a i l a b l e p o s t c o l o u r s :





Space shuttle - O702 » O703

O702 (sliding tube s) **O703** (slide)

 4,8 x 2,6 x 4,2 m

 5,5 x 2,6 x 4,2 m

 2, 20 m



 2, 05 m

 6 - 15

 6 - 15

 2 ☺ - 18 ⌚ 

 2 ☺ - 18 ⌚ 



Windmill - O700 » O701

O700 (sliding tube s) **O701** (slide)

 4,8 x 2,6 x 6,9 m

 5,5 x 2,6 x 6,9 m

 2, 20 m



 2, 05 m

 6 - 15


 6 - 15

 3 ☺ - 16 ⌚ 

 3 ☺ - 16 ⌚ 



The name Europlay can be replaced by a different name or phrase upon request.



O700






Net climbers - N125 » N165


N125 - Net climber Pluto

 3,8 x 3,8 x 2,5 m
 1 m
 3 - 14
 2 ☺ - 8 ☺ 




N130 - Net climber Mars

 4,5 x 4,5 x 3 m
 2,3 5 m
 4 - 15
 2 ☺ - 10 ☺ 





N145 - Net climber Venus

 7,1 x 7,1 x 4,5 m
 2 m
 4 - 16
 3 ☺ - 10 ☺ 



N165 - Net climber Jupiter

 10,4 x 10,4 x 6,5 m
 2 m
 4 - 16
 3 ☺ - 20 ☺ 







Toddler adventure trail

We have developed this toddler adventure trail to allow young children to play safely. This trail is delivered completely pre-assembled and can be installed onto surfaces like tarmac or concrete. Constructed from high-quality materials, it is also extremely robust.



Materials

- types of wood: larch and tropical hardwood
- round poles ($\varnothing$ 12cm) cut outside the pits
- polypropylene ropes ($\varnothing$ 16mm) with steel cable
- metal parts treated against corrosion and powder coated



Fixing

- metal base supports in the ground (A)
- metal base supports on the ground (B)

Toddler adventure trail - A400 » A440 (A/B)


A400 - Snake path

2,1 x 0,5 x 0,3 m

0,30 m

2 - 6

1 ☺ - 1,5 ☹



(18 m²)


A410 - Log walk

2,1 x 0,4 x 0,2 m

0,15 m

2 - 6

1 ☺ - 1,5 ☹



(17,5 m²)


A420 - Log hop

2,4 x 0,2 x 0,3 m

0,30 m

2 - 6

1 ☺ - 1,5 ☹



(17 m²)




A430 - Crocodile back

2,1 x 0,4 x 0,3 m

0,30 m

2 - 6

1 ☺ - 1,5 ☹




A440 - Monkey tightrope

2,2 x 0,7 x 0,9 m

0,20 m

2 - 6

1 ☺ - 2 ☹







Wooden adventure path

A must-have for all adventurers: who will reach the ground?

A varied combination of different balance equipment. Optional devices can be added or deleted as you wish.



Materials

- types of wood :
 - round wooden poles in oak for in-ground fixing
 - round wooden poles in larch for use as a balance beam
 - boards and beams in larch
 - ash rungs
- round wooden poles (Ø 10, 12 and 14 cm) cut outside the pith
- larch boards (45 x 95 mm) and beams (90 x 90 mm)
- incorporated rungs (thickness 40 mm)
- synthetic tyres
- polypropylene ropes and nets (Ø 16 mm) with steel wire reinforcement
- galvanised chains
- galvanised tubes (Ø 35 mm)
- polyester coated tubes (Ø 35 mm) treated
- stainless-steel pivot

Wooden adventure path (type A) - A010

 1,00 m

 4 - 15

 2 ☺ - 25 ☺ 

Asterix - A680 p . 216

Buffalo Bill - A650 p . 217

Hercules - A640 p . 218

Lancelot - A660 p . 217

Robin Hood - A620 p . 215



Tarzan - A600 p . 214

King Arthur - A610 p . 215

Zorro - A630 p. 219

Step bollard - A690 p . 214

Robinson Crusoe - A670 p . 216

Wooden adventure path (type B) - A020

 < 0,60 m

 4 - 15

 2 ☺ - 12 ⌚ 

Step bollard - A690 p . 214

Robin Hood - A620 p . 215

Robinson Crusoe - A670 p . 216

Hercules - A640 p . 218

Zorro - A630 p. 219



Wooden adventure path (type C) - A050

 < 0,60 m

 4 - 15

 2 ☺ - 16 ⌚ 

Step bollard - A690 p. 214

Wobbly footbridge - S360 p. 219

Zorro - A630 p. 219



Hercules - A640 p. 218

Robin Hood - A620 p. 215

Buffalo Bill - A650 p. 217








Step bollard - A690





* Sometimes step bollards can have core







Tarzan - A600



King Arthur - A610



Robin Hood - A620




Asterix - A680

 3,3 x 0,1 x 0,4 m

 0,40 m

 4 - 15

 2 ☺ - 3 ⌚ 




Robinson Crusoe - A670

 4,0 x 0,2 x 0,3 m

 0,25 m

 4 - 15

 2 ☺ - 1,5 ⌚ 




Lancelot - A660

 2,0 x 1,1 x 1,0 m

 0,95 m

 4 - 15

 2 ☺ - 3 ⌚ 




Buffalo Bill - A650

 2,4 x 1,5 x 0,7 m

 0,3 5 m

 4 - 15

 2 ☺ - 3 ⌚ 




Hercules - A640

 3,6 x 1,0 x 1,0 m

 0,55 m

 4 - 15

 2 ☺ - 4 ⌚ 




Twist and shout - S335

 3,5 x 0,2 x 1,7 m

 0,30 m

 4 - 15


 2 ☺ - 4 ⌚ 



Zorro - A630



Wobbly footbridge - S360




Ravine crossing - S361

 3,1 x 0,9 x 1,4 m

 0,60 m

 4 - 15

 2 ☺ - 3 ⌚ 




Suspension arch - S337

 2,9 x 1,7 x 2,0 m


 0,85 m

 6 - 15

 2 ☺ - 3 ⌚ 



Wiggle waggle - S336







Play towers

Sliding is an exciting experience!

Children can't get enough of the combination of speed of climbing and the experience of whizzing down a slide. Standing up again is one of the most enjoyable experience.



Materials

- type of wood: larch and ash rungs
- round wooden poles (Ø 12 cm) cut out to the end
- larch platform boards (thickness 22 mm) or oak
- slip boards (thickness 18 mm)
- HDPE polyethylene sheets
- roof shelves (22 mm) with tongue and groove
- staircase with integrated steps 35 mm
- vertical climbing ladder with integrated rungs
- available slides: stainless steel slide (width 60 cm)
- slide (width 60 cm)
- wobbly footbridge made of steel cables (width 95 mm)
- polypropylene ropes and nets (Ø 16 mm) with reinforcement
- metal components treated against corrosion: powder coated with polyester



Materials (mountain hut S420)

- types of wood: larch; lower girders in oak and ladder rungs in ash
- synthetic climbing grips on slip resistant



Fixing

- metal base supports for in-ground (type A) or surface (type B) fixing



Add-on elements and play panels

- add-on elements and play panels can be added
- depending on the type of play tower and the add-on element, this either replaces a few or adds to the existing structure. For a full explanation go to p. 284-285

Mountain hut - S420 » S421 (A/B)

● S420R - ● S420G


(stainless steel slide) (A / B)

4,1 x 1,2 x 2,2 m

1,40 m

3 - 12

2 ☺ - 5 ⌚ 🚚



● S421R - ● S421G


(plastic slide) (A / B)

3,6 x 1,2 x 2,2 m

1,35 m

3 - 12

2 ☺ - 5 ⌚ 🚚



Climbing equipment with a rock wall and a vertical ladder on the other side. At the base is a playhouse with sitting bench. A supplementary fireman's pole can be added.

Additional elements (optional):



S 010
fireman's pole



S 020
spiral fireman's pole



L 7 41R/G
red/green fencing
panel to be deducted

S420G





S420R + S020 - L741R



Rascal slide tower - S500 » S501 (A/B)

● S500R - ● S500G

(stainless steel slide 1m) (A/B)


3,8 x 2,5 x 2,2 m

1,40 m

3 - 12



2 ☺ - 4,5 ⌚ 🚚



● S501R - ● S501G


(plastic slide) (A/B)

3,3 x 2,5 x 2,2 m

1,35 m

3 - 12

2 ☺ - 4,5 ⌚ 🚚



A platform on four poles combined with a slide and a convenient staircase.

Add-on elements (optional):



S 005

monkey ladder



S 014

spiral fireman's pole



S 006

climbing arch



S 007

rock wall



S 008

low fireman's pole



S 009

sand corner



S 013

net climber



S 019

small bench with 3 seats



S 033 - S 042

play panels



L 7 40R/G

green fenced panel to be deducted

S019



PLAY TOWERS

S501R



Imp slide tower - S530 » S531 (A/B)

● S530R - ● S530G

(stainless steel slide 1m) (A/B)


4,0 x 2,5 x 3,2 m

1,40 m

3 - 12



2 ☺ - 5,5



(3,4 m²)

● S531R - ● S531G


(plastic slide) (A/B)

3,5 x 2,5 x 3,2 m

1,35 m

3 - 12

2 ☺ - 5,5



(3,1 m²)



A unit with one floor mounted on four poles. Provided at the base is a playhouse with floor and on top a platform with a gable roof.

It has an added slide and is accessible via an easy staircase. The playhouse at the base has benches and one table, play panels or a counter with a abacus.

S531R + S013 - L740R + S001 - L760



Add-on elements (optional):



S 003
co u n t e r w i t h l o w s p i r a l
a b a c u s



S 014
f i r e m a n ' s p o l e



S 006
c l i m b i n g a r c h



S 007
r o c k w a l l



S 008
l o w f i r e m a n ' s p o l e



S 009
s a n d c o r n e r



S 013
n e t c l i m b e r




S 001
s i t t i n g b e n c h
a n d t a b l e



S 033 - S 042
p l a y p a n e l s



L 7 60
f e n c i n g p a n e l
t o b e d e d u c t e d




L 7 40R/G
r e d g r e e n f e n c i n g
p a n e l t o b e d e d u c t e d



Bandits cavern - S540 » S541 (A/B)

● S540R - ● S540G

(stainless steel slide 1 m) (A / B)




1,40 m

3 - 12

2 ☺ - 6,5

● S541R - ● S541G

(plastic slide) (A / B)



1,35 m

3 - 12

2 ☺ - 6,5



A low tower construction on six vertical poles with a gable roof over half of the platform on top. At the base, a playhouse was integrated that can be provided with two supports or a counter with a bacus.



S541R + S001 + S003 - 2xL760

S540G + S013 + S007 - 2xL740G



Add-on elements (optional):



S 003
co u n t e r w i t h l o w s p i r a l
a b a c u s



S 014
f i r e m a n ' s p o l e



S 006
c l i m b i n g a r c h



S 007
r o c k w a l l



S 008
l o w f i r e m a n ' s p o l e



S 009
s a n d c o r n e r



S 013
n e t c l i m b e r



S 001
s i t t i n g b e n c h
a n d t a b l e




S 033 - S 042
p l a y p a n e l s



S 005
m o n k e y b a r



L 7 60
l o w f e n c i n g t o b e d e d u c t e d




L 7 40R/G
h i g h f e n c i n g t o b e d e d u c t e d

Elf slide tower - S520 » S521 (A/B)

● S520R - ● S520G

(stainless steel slide 1m) (A / B)



1,40 m

3 - 12




2 ☺ - 6 ⌚



● S521R - ● S521G

(plastic slide) (A / B)



1,35 m

3 - 12

2 ☺ - 6 ⌚



A platform built on six poles which consists half of a house with gable roof and one slide. The playhouse is accessible via an easy staircase.

add-on elements (optional):



S 014

low spiral climber



S 006

climbing arch



S 007

rock wall



S 008

low fireman's pole



S 009

sand corner net climber



S 013

sand corner net climber



S 019

small bench with 3 seats



S 033 - S 042

play panel



S 005

monkey ladder



L 740R/G

green fence panel to be deducted

S521R + 2xS019



PLAY TOWERS

S013



Scamp slide tower - S550 » S551 (A/B)

● S550R - ● S550G

(stainless steel slide 1m) (A/B)


5,1 x 4,4 x 3,2 m

1,40 m

3 - 12



2 ☺ - 8 ⌚ 🚚



(53,5 m²)

● S551R - ● S551G


(plastic slide) (A/B)

4,7 x 4,4 x 3,2 m

1,35 m

3 - 12

2 ☺ - 8 ⌚ 🚚



(50 m²)



Equipment with an elongated platform above which (a gable roof) is partially placed climbing net in steel wire or via an easy staircase. A slide stands on top and at the base supplementary sitting benches and one table, play panels or a counter with abacus

Add-on elements (optional):



S 014

low spiral
fireman's pole



S 006

climbing arch



S 007

rock wall



S 008

low fireman's pole



S 009

sand corner net climber



S 013

net climber



S 019

2 benches
and 1 table



S 033 - S 042

play panels



S 003

counter with
abacus



L 7 60

low fence
to be deducted



L 7 40R/G

green fence
to be deducted

S550R



PLAY TOWERS

S550R













PLAY TOWERS



Fortress - S600 » S605 (A/B)

● **S600R** - ● **S600G** (stainless steel slide 1 m, wobbly bridge) (A/B) ● **S601R** - ● **S601G** (plastic slide, wobbly bridge) (A/B)
 ● **S604R** - ● **S604G** (stainless steel slide 1 m, fixed bridge) (A/B) ● **S605R** - ● **S605G** (plastic slide, fixed bridge) (A/B)



A platform on six vertical poles connected with a wobbly bridge on chains or a fixed bridge. The biggest platform is partially covered with a gable roof and a vertical ladder with round rungs. The playhouse for the little ones is integrated. The playhouse has a wobbly bridge and a wobbly ladder. The playhouse has two supplementary sitting benches and a counter with a abacus.

Add-on elements (optional):



L 7 40R/G red/green fencing panel to be deducted

S600R



S601G + S013 - L740G







Ocean star - S440 » S441 (A/B)

● S440R - ● S440G

(stainless steel slide 1 m) (A / B)


5,4 x 4,4 x 3,9 m

1,40 m

3 - 12



2 ☺ - 9 ⌚



(56 m²)

● S441R - ● S441G


(plastic slide) (A / B)

4,9 x 4,4 x 3,9 m

1,35 m

3 - 12

2 ☺ - 9 ⌚




(52,5 m²)



A hexagonal playing platform containing six different play elements (staircase, slide, rock wall, net climber, fireman's pole and climbing arch).

S440R





The flag can also be delivered without a skull.



Indian village - S580 » S583 (A/B)

● S580R - ● S580G (stainless steel slide 1 m, net bridge) (A/B)
 ● S582R - ● S582G (stainless steel slide 1 m, plastic slide, net bridge) (A/B)
 ● S581R - ● S581G (plastic slide, net bridge) (A/B)
 ● S583R - ● S583G (plastic slide, crawl tunnel) (A/B)



A combination of two platforms, connected by means of a net bridge or a crawl tunnel. The platforms are accessible via a fireman's pole, a climbing arch, a net climber, a rock wall and a slide.

Add-on elements (optional):



S 005

monkey ladder



S 014

fireman's pole



S 009

sand corner




S 019

small bench with 3 seats



S 033 - S 042

play panels



L 7 40R/G

green fencing panel to be deducted

S581R



PLAY TOWERS

S581R + S005 - L740R




S430R + G121 - L740R



(Jumbo) watch tower - S430 » S431 (A/B)


● S430R - ● S430G
(A / B)



6 - 15

2 ☺ - 5 ⌚ 🚚

● S431R - ● S431G
(jumbo) (A / B)



6 - 15

2 ☺ - 7 ⌚ 🚚



A two-story-high climbing tower topped with a gable roof accessible via a vertical climbing ladder. The jumbo watch tower has an additional two-story-high platform.

Add-on elements (optional):



S 004
high fireman's
pole



S 018
high spiral
fireman's pole



G 121
high stainless steel
slide (1m)



G 402
spiral slide



L 7 60
yellow fencing panel
to be deducted



L 7 40R/G
red/green fencing
panel to be deducted



S430G
+ S018
- L740G

Pirates den - S610 » S615 (A/B)

 6 - 15

 2,05 m


A two-story-high climbing tower with gable roof on top and a high slide or a spiral slide, connected to a lower section through an obliquely inclined fixed footbridge. There is a vertical ladder to climb the tower and a convenient staircase to the lower platform. Below this platform

a playhouse was arranged that can be provided with two supplementary benches and one table, play panels or a counter with abacus. A supplementary second low slide (stainless steel or plastic) can be placed.

● **S610R** - ● **S610G**
(high stainless steel slide
1 m wide)(A/B)

 6,9 x 3,6 x 3,9 m

 2 ☺ - 21 ⌚ 



(62 m²)



● **S611R** - ● **S611G**
(spiral slide)(A/B)

 5,8 x 3,6 x 3,9 m

 2 ☺ - 25 ⌚ 




(59 m²)



● **S612R** - ● **S612G**
(low and high stainless steel
slide 1 m wide)(A/B)

 9,4 x 3,6 x 3,9 m

 2 ☺ - 23 ⌚ 




(74,5 m²)



● **S613R** - ● **S613G**
(low stainless steel slide 1 m
wide and spiral slide)(A/B)

 8,3 x 3,6 x 3,9 m

 2 ☺ - 27 ⌚ 




(71 m²)



● **S614R** - ● **S614G**
(low plastic slide and high
stainless steel slide 1 m wide)(A/B)

 8,9 x 3,6 x 3,9 m

 2 ☺ - 23 ⌚ 



(71,5 m²)



● **S615R** - ● **S615G**
(low plastic slide and spiral slide)(A/B)

 7,8 x 3,6 x 3,9 m

 2 ☺ - 27 ⌚ 



(68 m²)



* Photo not fully compliant

S610R + S007 - L740R



PLAY TOWERS

Add-on elements (optional):



S 003
counter with
abacus



S 014
low spiral
fireman's pole



S 006
climbing arch



S 007
rock wall



S 008
low fireman's pole



S 009
sand corner



S 013
net climber



S 001
2 benches and 1
table



S 03 3 - S 042
play panels



S 005
monkey ladder



S 004
high fireman's pole



S 018
high spiral
fireman's pole



L 7 60
yellow fencing panel
to be deducted



L 7 40R/ G
red/green fencing
panel to be deducted

Robin hood's hideout - S620 » S625 (A/B)

 6 - 15

 2,05 m

Playground equipment with one high watch tower with gable roof, consisting of two floors. The whole is connected to two lower platforms through a suspension bridge and an obliquely-placed ramp.


Attached to the highest tower is a vertical climbing ladder; at the base a playhouse is arranged. One of the smaller platforms has a vertical climbing ladder, the other one an easy staircase and a slide. A supplementary second high stainless-steel slide or spiral slide can be placed.

● S620R - ● S620G

(low stainless steel slide 1 m wide) (A/B)

 7,2 x 4,9 x 3,9 m

 2 ☺ - 27 ☺ 



(67,5 m²)




● S621R - ● S621G

(low plastic slide) (A/B)

 6,7 x 4,9 x 3,9 m

 2 ☺ - 27 ☺ 



(65 m²)




● S622R - ● S622G

(low and high stainless steel slide 1 m wide) (A/B)

 8,0 x 7,2 x 3,9 m

 2 ☺ - 29 ☺ 



(84 m²)




● S623R - ● S623G

(low plastic slide and high stainless steel slide 1 m wide) (A/B)

 8,0 x 6,7 x 3,9 m

 2 ☺ - 29 ☺ 



(81 m²)



● S624R - ● S624G

(low stainless steel slide 1 m wide and spiral slide) (A/B)

 7,2 x 6,9 x 3,9 m

 2 ☺ - 33 ☺ 



(80 m²)




● S625R - ● S625G

(low plastic slide and spiral slide) (A/B)

 6,9 x 6,7 x 3,9 m

 2 ☺ - 33 ☺ 



(77,5 m²)



Add-on elements (optional):



S 019
small bench with
3 seats



S 014
low spiral
fireman's pole



S 006
climbing arch



S 007
rock wall



S 008
low fireman's
pole




S 009
sand corner



S 013
net climber



S 03 3 - S 042
play panels



S 005
monkey ladder



S 004
high fireman's
pole



S 018
high spiral
fireman's pole



L 7 60
yellow fencing panel
to be deducted



L 7 40R/ G
red/green fencing
panel to be deducted

S620G + S007
+ S008 + S013 + S018
- 4 x L740G





Tower combinations

Our high and low structures can be linked together with connection elements.



Materials

- types of wood: larch and ash rungs
- round wooden poles Ø 120 mm cut out side
- larch platform boards (22 mm) or water-proof 18 mm
- HDPE polyethylene sheets
- roof shelves 22 mm with tongue and groove
- staircase with integrated steps 35 mm
- available slides for low towers: stainless steel plastic slide 0,60m wide
- available slides for high towers: stainless steel or plastic spiral slide
- wobbly footbridge made of steel cables w x 95 mm)
- vertical climbing ladder with integrated rungs
- polypropylene nets and ropes (Ø 16 mm) with reinforcement
- all metal components treated against corrosion powder coated with polyester



Fixing

- metal base supports for in-ground (type A) or surface (type B) fixing



Add-on elements and play panels

- add-on elements and play panels can be added
- depending on the type of play tower and the add-on element, this either replaces a safety explanation go to p. 284-285

Brussels - C004R » C004G (A/B)

● C004R - ● C004G

incl. climbing arch (S006), rock wall (S007), low fireman's pole (S008), net climber (S013) and low stainless steel slide (G112)


6,3 x 5,5 x 3,2 m

1,40 m

3 - 15



2 ☺ - 13 ⌚ 🚚



(63 m²)



Add-on elements (optional):



S 005

monkey ladder



S 009

sand corner



S 014

low spiral
fireman's pole




S 019

small bench
with 3 seats



S 033 - S 042

play panel



L740R/G

green fencing
panel to be deducted

The low stainless steel slide (G112)
can be replaced by a plastic slide (G301).
(= C004R/G + G301 R/G - G112 R/G)

Dublin - C005R » C005G (A/B)

● C005R - ● C005G


incl. climbing arch (S006), rock wall (S007), low fireman's pole (S008), net climber (S013) and low stainless steel slide (G112)

12,0 x 5,1 x 3,2 m

1,40 m

3 - 15

3 ☺ - 18 ☹



Add-on elements (optional):



S 005
monkey ladder



S 009
spiral fireman's pole



S 014
low fireman's pole



S 019
small bench
3 seats



S 001
benches and
table




S 033 - S 042
play panels



S 003
counterweight
abacus



L 760
yellow fence
panel



L740R/G
green fence
panel

The low stainless steel slide (G112)
can be replaced by a plastic slide (G301).
(= C005R/G + G301 R/G - G112 R/G)





Bern - C006R » C006G (A/B)

● C006R - ● C006G


incl. climbing arch (S006), rock wall (S007), low fireman's pole (S008), net climber (S013) and low stainless steel slide (G112)

9,2 x 5,5 x 3,2 m

1,40 m

3 - 15

2 ☺ - 20 ⌚ 🚚



(85,5 m²)



Add-on elements (optional):



S 005
monkey ladder



S 009
sand corner



S 014
low spiral
fireman's pole



S 019
small bench
with 3 seats



S 001
2 benches
with 1 table




S 033 - S 042
play panels



S 003
counter
with abacus



L 760
flower fence
to be deducted



L740R/G
green fence
to be deducted

The low stainless steel slide (G112)
can be replaced by a plastic slide (G301).
(= C006R/G + G301 R/G - G112 R/G)

C005G



TOWER COMBINATIONS

Amsterdam - C007R » C007G (A/B)

● C007R - ● C007G


incl. rock wall (S007), low fireman's pole (S008), net climber (S013), high spiral fireman's pole (S018) and low stainless steel slide (G112)

6,7 x 5,9 x 3,9 m

2,00 m

3 - 15

2 ☺ - 24 ☹



(74 m²)



Add-on elements (optional):



S 004
high fireman's pole



S 009

sand corner



S 014
low spiral
fireman's pole



S 006

climbing arches



G402

spiral slide



G121
high stainless
steel slide
(1m wide)



S 005
monkey ladder



S 033 - S 042
play panels



S 001
2 benches
and 1 table



S 019
small bench
with 3 seats



L 760

low fence



L740R/G

green fence



C007G + S005 - L740G

Design slightly changed, picture not fully correct



The low stainless steel slide (G112) can be replaced by a plastic slide (G301).
(= C007R/G + G301 R/G - G112 R/G)

London - C008R » C008G (A/B)

● C008R -
 ● C008G


incl. monkey ladder (S005), climbing arch (S006), net climber (S013), low spiral fireman's pole (S014), high spiral fireman's pole (S018) and low stainless steel slide (G112)


 7 , 8 x 7 , 6 x 3 , 9 m


 2, 00 m


 3 - 15
 


 2 ☺ - 16 ☹ 



(101 m ²)



Add-on elements (optional):



S 009

sand corner bench



S 019

bench with 3 seats



G402

spiral slide



S 033 - S 042

play panels



S 007

rock wall



S 008

low fireman's pole



S 003

counter with baculus



G121

high stainless steel slide (1m wide)



S 001

bench and table



S 004

high fireman's pole



L 7 60

yellow fence to be deduced



L740R/G

green and red fence to be deduced

C002



TOWER COMBINATIONS

Design slightly changed, picture not fully correct

C007 - S008 - S018 - S013 - G112 + G301 + G402 + L740R



The low stainless steel slide (G112) can be replaced by a plastic slide (G301).
(= C008R/G + G301 R/G - G112 R/G)

Lisbon - C001R » C001G (A/B)

● C001R - ● C001G


incl. climbing arch (S006), high spiral fireman's pole (S018), low stainless steel slide (G112) and spiral slide (G402)

13,5 x 4,9 x 3,9 m

2,00 m

3 - 15

2 ☺ - 40 ⌚ 🚚



Add-on elements (optional):



S 005

monkey ladder



S 009

sand corner



S 019

small bench
with 3 seats



S 013

net climber



S 033 - S 042

play panels



S 007

rock wall



S 008

low fireman's pole



S 003

counter with
abacus



S 014

low spiral
fireman's pole



S 001

2 benches
and 1 table




S 004

high fireman's pole



L 7 60

yellow fence panel
to be deducted



L740R/G

green fence panel
to be deducted



C001R



The low stainless steel slide (G112)
can be replaced by a plastic slide (G301).
(= C001R/G + G301 R/G - G112 R/G)

Rome - C002R » C002G (A/B)

● C002R - ● C002G


incl. climbing arch (S006), rock wall (S007), high spiral fireman's pole (S018), low fireman's pole (S008), monkey ladder (S005), net climber (S013), low stainless steel slide (G112) and spiral slide (G402)

12 x 8,4 x 3,9 m

2,00 m

3 - 15

3 ☺ - 3 0 ☹



(13 2,5 m²)



Add-on elements (optional):



S 009

sand corner



S 019

small bench with 3 seats



S 001

2 benches and 1 table



S 033 - S 042

play panel



S 004

high fireman's pole



S 014

low spiral fireman's pole




S 003

counterweight abacus



L 760

yellow fence panel to be deducted



L740R/G

green fence panel to be deducted

The low stainless steel slide (G112) can be replaced by a plastic slide (G301). (= C002R/G + G301 R/G - G112 R/G)



C002R

TOWER COMBINATIONS







Add-on elements

In every wooden play tower, a side panel can be added as an add-on element of choice. Depending on the direction of the tower, under the platform, a climbing arch or rock wall can be added. A ladder, a sand workshop, a net climber and a fireman's pole can be added in any position. The climbing arch and rock wall are added transversely to the horizontal poles. Moreover, a net climber and/or (spiral) fireman's pole can be added anywhere.

High and low stainless steel slides 1m wide, a plastic slide or even a spiral slide can be added to the play towers. At the bottom you can choose to add benches and/or a sand pit. Moreover, a counter with a bacus. All play towers can be connected with each other by a tunnel or a connection net.

Please note that between any add-on component and the main structure, a minimum safety distance of 150cm has to be maintained.



Materials (add-on elements)

- types of wood: larch and ash rungs
- round wooden poles ($\varnothing$ 120mm) cut outside
- HDPE polyethylene sheets and crawling
- stainless steel slide 1m wide or plastic slide 1m wide or plastic spiral slide
- synthetic hand grips on waterproof anti-slip (18mm)
- polypropylene ropes and nets ($\varnothing$ 16mm) with reinforcement
- all metal components treated against corrosion, powder coated with polyester



Materials (sand corner)

- plastic bucket on galvanized chain
- table in HDPE polyethylene
- synthetic tube
- stainless steel pulley



Add-on elements and play panels

- add-on elements and play panels can be added to the play tower
- depending on the type of play tower and the add-on element, this either replaces a safety element or is added as an extra element. For more information, see the explanation on p. 284-285


Monkey ladder - S005 (A/B)

 2,1 x 1,0 x 2,2 m

 2,00 m

 4 - 12

 2 ☺ - 2 ⌚ 



(15,5 m²)

Can be placed in any direction, but not next to a slide or under or next to a roof.




Climbing arch - S006 (A/B)

 1,8 x 1,1 x 2,1 m

 1,35 m

 4 - 12

 2 ☺ - 2 ⌚ 



(13,5 m²)

Attention! Can only be placed in the opposite direction of a staircase.




Rock wall - S007 (A/B)

1,1 x 0,8 x 2,1 m

1,35 m

4 - 12

2 ☺ - 2 ⌚ 🚚



(9 m²)

Attention! Can only be placed in the opposite direction of a staircase.




Net climber - S013 (A/B)

1,1 x 0,7 x 2,1 m

1,35 m

4 - 12

2 ☺ - 2 ⌚ 🚚



(9 m²)

Can be placed in any direction but not next to a slide.



Fireman's poles - S004 » S018 (A/B)


S008 low fireman's pole (A/B)

1,1 x 0,8 x 2,1 m


1,35 m

4 - 12

2 ☺ - 1,5 ☹



S014 low spiral fireman's pole (A/B)



S004 high fireman's pole (A/B)


1,1 x 0,8 x 2,8 m

2,00 m


4 - 12

2 ☺ - 1,5 ☹

Can be placed in any direction.



S018 high spiral fireman's pole (A/B)





Slides - G112 » G402 (A/B)

● G112R - ● G112G

low stainless steel slide 1 m wide (A/B)


2,6 x 1,1 x 2,2 m

1,40 m

4 - 12



2 ☺ - 1,5 ⌚



(18,5 m²)

● G301R - ● G301G


low plastic slide 0,6 m wide (A/B)

2,2 x 1,1 x 2,2 m

1,35 m

4 - 12

2 ☺ - 1,5 ⌚



(15 m²)



● G121R - ● G121G

high stainless steel slide 1m wide (A/B)


3,5 x 1,1 x 2,8 m

2,05 m

4 - 12



2 ☺ - 2 ⌚



(22 m²)

G402


plastic spiral slide (A)

2,5 x 1,7 x 2,9 m

1,85 m

4 - 12

2 ☺ - 4 ⌚



(22 m²)



G402



ADD-ON ELEMENTS

Sand corner - S009


1,3 x 0,7 x 2,2 m

1,35 m

4 - 10



2 ☺ - 1 ☹



A pulley with sand basket and chain that can be pulled up.
Below is a table with pipe fitted.
Can be placed in any direction.





Benches and table - S001

1,2 x 1,1 x 0,6 m

2 - 8

2 ☺ - 1,5 ⌚



For most units, a sitting group (2 benches and 1 table) can be added inside the playhouses.



Small bench with 3 seats - S019

3 - 12

1 ☺ - 1 ⌚



This wooden beam (to sit on) can be integrated in most of the classic Europlay structures. Sold per piece.



Crawling tunnel - S702R » S702G

● S702R - ● S702G

1,6 x 1,1 x 1,0 m



Net bridge - S704R » S704G


● S704R - ● S704G

1,8 x 1,2 x 1,0 m



Counter with abacus - S003R » S003G



● S003R - ● S003G



For most units, a counter with abacus can be added inside the playhouses.



Play panels - S033 » S042



The play panels can be integrated in most of the play towers.



Play panels - S033 » S042

1,0 x 0,1 x 0,8 m

2 - 8



1 ☺ - 0,5 ☹

4 fixing clamps are included in each panel. However, the wooden fixing posts should be ordered separately (a piece).

ABC + 123 - ● S033R / ● S033G



Clock - S037



Shop - S035




Abacus - S034



OXO - S038




Rainbow - S039



Rotating drum - S040



Sliding puzzle - S041



Four in a row - S042



S038 + 2xS032B





Inclusive add-on elements (6 key features)

Every child has the right to play!

1

Large platform of 3 m² for wide stationary accessible due to a every accessible stair of for children with a disability space between the railings.

2

3



4

The standard fencing panels being panels can be replaced by a counter with a baby play panels. (ref. S 003 G).

5

6

As a slide creates the possible slide down with 2 persons at the time, for example child and a

Inclusive play towers (code structure)

For each wooden play tower, it is possible to add various add-on elements (p. 269-281). By adding play panels at the bottom, the unit is extended with additional inclusive play options, guaranteeing fun for all children.

Depending on the type of play tower and the position of the add-on element or play panel, it either replaces a side wall or not.

Here is an example of how the combined code is constructed for a fortresse (S 600R, S 037, S 003R) and one add-on element (S 013):



= S600R + (S003R - L760) + S034 + (S037 - L760) + (S013 - L740R)



Inclusive play towers (examples)

S520R + S033R + S035



S530G + S033G - 1 x L760



S540G + S003G + S034 + S039 - 3 x L760



S540R + S033R + S037 + S041 - 3 x L760



S582G + S035 + 2 x S019



S500R + S034 + S037



S550R + S003R + S042 - 2 x L760



C006G + S040 + S041 + S042 - 3 x L760





Slides & outdoor stairs

The excitement of climbing and the thrill of sliding is the most attractive piece of equipment on a playground.

Especially the little ones love it. Therefore, safety is very important. A starting platform with handrails and a landing area are therefore required. A toddler can try it again and again.

The colourful slides lure the little ones that want to do a single movement. Fun for everyone, as long as it is safe.



Materials (slides)

- stainless steel slide (thickness 1,5 mm)
- plastic slide 0,60m wide
- aluminium safety bar treated against corrosion, powder coated with polyester
- ash rungs
- HDPE polyethylene safety boards



Materials (outdoor stairs)

- Types of wood: larch and oak
- boards 35 and 45 mm


Junior slide - G100

 3,4 x 0,6 x 2,2 m

 1,40 m

 4 - 12

 2 ☺ - 3 ⌚ 




Slide o'saurus - G600

2,4 x 0,5 x 1,7 m

0,90 m

2 - 4

2 ☺ - 3 ⌚ 🚚



Pioneer - E300 » E3001


● E300 - ● E3001

3,5 x 1,0 x 2,4 m


1,55 m

6 - 12

2 ☺ - 4 ⌚ 🚚



Hill slides - H112 » H600



The ideal installed angle is at 37° .
These hill slides can be perfectly combined with (see p. 292). The hill slide and the staircase should be between them.

STAINLESS STEEL

● H512R - ● H512G






(stainless steel hill slide width 0,5 m - sliding length 2,5 m) included 1x L 7 40+ 1x L 7 41

● H112R - ● H112G


(stainless steel hill slide width 1,0 m - sliding length 2,5 m) included 2x L 7 40

● H521R - ● H521G


(stainless steel hill slide width 0,5 m - sliding length 3,6 m) included 1x L 7 40+ 1x L 7 41






(28,5 m²)



(32 m²)



(32,5 m²)



H521R



Two fencing panels included, but on request
can also be delivered without.
(For example: H 5 12R/G - 1x L 7 40R/G - 1x L 7 41R/G)

PLASTIC


● H121R - ● H121G

(stainless steel hill slide w/ platform)
1,0m - sliding length 3,6m
included 2x L 7 40

4,7 x 1,3 x 2,8m





(3 7 m²)




● H600R - ● H600G

(plastic hill slide w/ platform)
1,0m - sliding length 2,3m
included 2x L 7 40

3,3 x 1,3 x 2,2m



(3 0,5 m²)





H600R



Outdoor stairs - T210 » T391

A staircase with double steps, ideal for placing on a slope. Due to the construction with double steps it can be adjusted to a slope of up to 45 degrees. The minimal installed angle of the stairs is at 37°. The staircase comes fully preassembled so that the installation goes relatively fast.



T210 (without handrail)
T211 (with handrail)





T270 (without handrail)
T271 (with handrail)



T330 (without handrail)
T331 (with handrail)



T390 (without handrail)
T391 (with handrail)



* Photo not fully compliant



S910A



Sports & games

Sports and games lean close to each other. Playground equipment that combine both surely fit every child's taste.



Materials (ball catcher S910)

- basket (Ø 1100 x H 100 mm) in polyethylene
- polyester-coated metal tube (Ø 120 mm) treated against corrosion



Materials (somersault S326 - S320 - S323)

- round wooden larch posts Ø 120 mm cut
- polyester-coated metal tubes Ø 35 mm treated against corrosion



Materials (multi-goal S569 and junior acrobat S325)

- larch poles 90 x 90 mm
- incorporated ash ladders rungs 40 mm
- polypropylene net 16 mm with steel wire
- polyester-coated metal tubes Ø 27, 35 and 49 mm treated against corrosion.



Materials (wooden goal S571)

- round wooden larch poles Ø 120 mm cut



Materials (metal goal S573)

- polyestercoated tubes (Ø 27, 35 and 49 mm) treated against corrosion
- stainless steel basket ball ring



Materials (wooden aerial runway S343)

- round wooden larch and oak poles Ø 100 and 120 mm cut outside the pith
- larch boards 22 and 35 mm
- steel cable with tensioning mechanism
- round rubber seat on covered galvanised chain
- stainless steel runner
- rubber mount with spring brake



Fixing

- metal base supports for in-ground

Ball catcher - S910 » S911 (A/B)

S910 (bear / S911 (dog / cat)

Ø 1,1 x H 2,7 m

3 - 12



S910A - S911A (to be fixed in concrete)

2 ☺ - 2,5

S910B - S911B (free standing)

2 ☺ - 0,5

The ball catcher may also be placed on a paved surface by means of a solid base in the shape of a truck tyre.



S911B



Metal somersault - S326 » S328

S328 (two horizontal bars) **S327** (two horizontal bars) **S326** (three horizontal bars)

 2,0 x 0,6 x 1,5 m

 2,0 x 0,6 x 1,5 m

 3,0 x 0,6 x 1,5 m

 1,50 m

 1,50 m

 1,50 m

 > 6





 > 6

 > 6

 2 ☺ - 2,5 ☹ 

 2 ☺ - 2,5 ☹ 

 2 ☺ - 2,5 ☹ 



S326

Wooden somersault - S320 » S322

S322 (one horizontal bar) S320 (two horizontal bars) S321 (three horizontal bars)

 1,5 x 0,2 x 1,7 m

 2,8 x 0,2 x 1,7 m

 4,1 x 0,2 x 2,2 m

 1,45 m

 1,45 m

 1,85 m

 > 6





 > 6

 > 6

 2 ☹ - 2 ☺ 

 2 ☹ - 2,5 ☺ 

 2 ☹ - 2,5 ☺ 



S321


Hexagonal somersault - S323

 2,8 x 2,4 x 1,6 m

 1,50 m

 > 6

 2 ☺ - 5 ⌚ 




Junior acrobat - S325

 2,0 x 1,0 x 1,7 m

 1,50 m

 4 - 8

 2 ☺ - 3 ⌚ 



Multi-goal - S569 » S570


S569 (w i t h o u t g y m n a s t i c b a r)

2,8 x 1,0 x 2,2 m

2,10 m

6 - 12

2 ☺ - 4 ☺



(3 0,5 m²)


S570 (w i t h g y m n a s t i c b a r)

3,7 x 1,9 x 2,2 m

2,10 m

6 - 12

2 ☺ - 4,5 ☺



(3 6,5 m²)



S569

Metal goal - S573 » S575 (A/B)

S573 (A / B)

1,6 x 0,8 x 0,8 m

3 - 12

2 ☺ - 1 ⌚

S574 (A / B)

2,7 x 0,8 x 2,1 m

3 - 12

2 ☺ - 2 ⌚

S575 (A / B) (w ith b a ske t b a ll r i n g)

2,7 x 1,4 x 3,2 m

3 - 12

2 ☺ - 3 ⌚



Available colours *:



*Other colours on request for a supplemental fee.

Fixing:

- co n c r e t e r e q u i r e d f o r l o o s e s o i l (A)
- b o l t s f o r h a r d s u r f a c e (B)



Wooden goal - S571

3,6 x 0,3 x 2,2 m

3 - 12

2 ☺ - 2 ☹
🔧 🚚



S344



Wooden aerial runway - S343 » S345

 3 0,5 x 2,6 x 3,9 m

 1,5 0 m

 6 - 15

 3


 - 9-10



S343 (with 2 starting platforms) **S344** (with 1 starting platform) **S345** (without starting platform)

Only for flat surface

Can be installed on a hill Can be installed on a hill



Flat surface (the seat stops slightly past the middle)



Sloping surface (the seat reaches the other end) For an aerial runway where one or no starting platforms are provided, the construction of a small hill is necessary



* Drawing not fully compliant





Universe

A series of challenging play ground equipment for combination of climbing, scrambling, strength and endurance. The equipment must have a forever play ground.

These play ground equipment are vandalism resistant of metal, stainless steel, aluminium, plastic and stone.

The vertical steel posts are available in two standards.

● RAL 1001 ● RAL 7016



Materials

- metal posts (Ø 89 and 127 mm)
- metal tubes (Ø 27, 35, 43 and 48 mm)
- all metal components have been treated and powder coated with polyester
- stainless steel tubes (Ø 42 mm)
- vandalism resistant synthetic and aluminium elements, pole caps and climbing grips
- HDPE polyethylene sheets
- polypropylene ropes and nets (Ø 16 mm) with reinforcement

Navigator - E400 » E4001


● E400 - ● E4001

 4,0 x 2,7 x 2,9 m

 2,20 m

 6 - 15

 2 ☺ - 7 ⌚ 



(3 5 m ²)



Explorer - E100 » E1001


● E100 - ● E1001

 3,9 x 1,7 x 3,3 m

 2,7 0 m

 6 - 15

 2 ☺ - 6 ⌚ 



(3 2,5 ... ,



Discovery - E200 » E2001


● E200 - ● E2001

6,3 x 3,9 x 3,3 m

2,95 m

6 - 15

2 ☺ - 11 ☺



(54,5 m²)



Columbia - E590 » E5901


● E590 - ● E5901

7,1 x 1,8 x 2,4 m


1,55 m

6 - 15

2 ☺ - 8 ☹



(43,5 m²)



Voyager - E580 » E5811


● E580 - ● E5801
(V o y a g e r s p i r a l)

5,6 x 2,8 x 2,9 m

2,00 m

6 - 15

2 ☺ - 11 ☹



(45 m²)


● E581 - ● E5811
(V o y a g e r s l i d e)

7,4 x 2,8 x 2,9 m

2,20 m

6 - 15

2 ☺ - 11 ☹



(50 m²)



Atlantis - E560 » E5611


● E560 - ● E5601
(Atlantis U-shape)

5,4 x 3,4 x 2,7 m

2,40 m

6 - 15

2 ☺ - 8 ⌚ 🚚




● E561 - ● E5611
(Atlantis S-shape)

5,6 x 5,4 x 2,7 m

2,40 m

6 - 15

2 ☺ - 8 ⌚ 🚚



Apollo - E570 » E5711


● E570 - ● E5701
(A p o l l o s p i r a l)

9,9 x 2,7 x 2,9 m

2,00 m

6 - 15

2 ☺ - 14 ⌚ 🚚




● E571 - ● E5711
(A p o l l o s l i d e)

11,7 x 2,7 x 2,9 m

2,20 m

6 - 15

2 ☺ - 14 ⌚ 🚚



E570

Challenger - E530 » E5301

● E530 - ● E5301


(Challenger U-shape)

7,8 x 5,6 x 2,7 m

2,40 m

6 - 15

2 ☺ - 11 ⌚ 🚚



(72 m²)

● E531 - ● E5311


(Challenger S-shape)

10,0 x 4,9 x 2,7 m

2,40 m

6 - 15

2 ☺ - 11 ⌚ 🚚



(74 m²)





Star trek - E510 » E5111

● E510 - ● E5101


(Star trek U-shape)

7,8 x 7,3 x 3,3 m

2,95 m

6 - 15

2 ☺ - 20 ☹



(100 m²)

● E511 - ● E5111


(Star trek S-shape)

14,2 x 6,5 x 3,3 m


2,95 m

6 - 15

2 ☺ - 20 ☹



(106 m²)



E511



UNIVERSE

Enterprise - E500 » E5011

● E500 - ● E5001


(Enterprise U-shape)

11,6 x 7,3 x 3,3 m

2,95 m

6 - 15

2 ☺ - 24 ⌚ 🚚



(119 m²)

● E501 - ● E5011


(Enterprise S-shape)

18,1 x 7,5 x 3,3 m



2,95 m

6 - 15

2 ☺ - 24 ⌚ 🚚



(131 m²)



E500



UNIVERSE

E5011







Furniture

Customised furniture for children is an asset to an

Benches and tables are indispensable and form a
an often tight environment.



Materials (picnic tables)

- type of wood: impregnated red Norwegian
- polyethylene reinforced with a waterproo
for stability (P 531)



Materials (concrete benches)

- type of wood: impregnated red Norwegian
- tropical hardwood
- supports: reinforced concrete



Materials (story benches)

- types of wood: larch, padauk or oak
- metal supports treated against corrosion
and powdercoated with polyester
- polyethylene disks in different colors com
according to availability

Polyethylene round picnic table - P531



A round table with attached benches, made of durable polyethylene. Comes in DIY kit.



Optional ground fixing:

- 4x A 003: bracket for surface fixing
- 4x A 004: ground anchor for in-ground fixing



Picnic table for toddlers - P561 » children - P560

P561 - Picnic table for toddlers **P560** - Picnic table for children




A sturdy table with attached benches, especially designed for children. Can be attached to the floor with brackets. Comes in DIY kit.




Picnic tables - P520 » P524


P521 - P522 - P524 - P525





P521 (length 1,6 m)




P522 (length 2,0 m)




P523 (Ø 2,1 m)





P524 (length 2,4 m)




P525 (length 2,0 m)



P520 (length 1,8 m)



P520



(to dig into the ground)

Optional ground fixing (P521/P522/P524/P525):

- 4 x A003: bracket for surface fixing
- 4 x A004: ground anchor for in-ground fixing

Optional ground fixing (P523):

- 8 x A003: bracket for surface fixing
- 8 x A004: ground anchor for in-ground fixing





P522


Concrete benches with wood slats - P200 » P211





P200A (untreated tropical hardwood) • 5 boards
P201A (impregnated red Norwegian spruce) • 5 boards



P200B (untreated tropical hardwood) • 4 boards
P201B (impregnated red Norwegian spruce) • 4 boards



P210 (untreated tropical hardwood) • 3 boards
P211 (impregnated red Norwegian spruce) • 3 boards



P523



FURNITURE

P200A




Story corner - P570 » P580

P570 (16 se a t s)

2,0 x 2,0 x 0,4 m

4 - 10

2 ☺ - 2 ☹




P580 (24 se a t s)

2,7 x 2,7 x 0,4 m

4 - 10

2 ☺ - 2 ☹



Optional ground fixing:

- 4 x A003: bracket for surface fixing
- 4 x A004: ground anchor for in-ground fixing



P570


Story circle - P590

P590 (16 se a t s)

Ø 2,5 x H 0,4 m

4 - 10

2 ☺ - 2 ☹



Optional ground fixing:


- 4 x A003: bracket for surface fixing
- 4 x A004: ground anchor for in-ground fixing



Story bench - P571 » P594

P571 (5 se a ts)

1,9 x 0,4 x 0,4 m




3 - 10

2 ☺ - 0,5 ⌚

P572 (7 se a ts)

2,5 x 0,4 x 0,4 m



3 - 10

2 ☺ - 0,5 ⌚



Optional ground fixing:

- 2 x A003: bracket for surface fixing
- 2 x A004: ground anchor for in-ground fixing




P591 (5 seats)

1,9 x 0,7 x 0,4 m

4 - 10

2 ☺ - 1 ⌚

**Optional ground fixing:**

- 2 x A003: bracket for surface fixing
- 2 x A004: ground anchor for in-ground fixing

P592 (9 seats)

3,3 x 1,0 x 0,4 m

4 - 10

2 ☺ - 1,5 ⌚

**Optional ground fixing:**

- 3 x A003: bracket for surface fixing
- 3 x A004: ground anchor for in-ground fixing

P593 (13 seats)

4,7 x 1,0 x 0,4 m

4 - 10

2 ☺ - 2 ⌚

**Optional ground fixing:**

- 4 x A003: bracket for surface fixing
- 4 x A004: ground anchor for in-ground fixing

P594 (17 seats)

6,1 x 1,0 x 0,4 m

4 - 10

2 ☺ - 2,5 ⌚

**Optional ground fixing:**

- 5 x A003: bracket for surface fixing
- 5 x A004: ground anchor for in-ground fixing



Borders & fences

Fences can be used not only to define the playground but also to prevent loose fill surfaces from migrating outside the play area.




Roundwood border

Round poles milled over the entire length and crowned at the end.

Type of wood:

pressure-impregnated pine

Advantage: can be used for round shapes,
can also be combined with a timber cluster.



REF.	Diameter	Length
R906Y	10 cm	60 cm
R908Y	10 cm	80 cm
R910Y	10 cm	100 cm
R1206Y	12 cm	60 cm
R1208Y	12 cm	80 cm
R1210Y	12 cm	100 cm
R1212Y	12 cm	120 cm
R1214Y	12 cm	140 cm
R1216Y	12 cm	160 cm
R1409Y	14 cm	90 cm



Timber border

A950


Boards 45 x 95 mm,
per meter,
various lengths

A706

- pole 0,6 m (70 x 70 mm),
per piece
- the boards are screwed to
the upright poles.
- 1 x A706 per 90 cm

Type of wood:

- pressure-impregnated pine



Combination border

Border consisting of 2 or 3 horizontal boards fitted with tongue and groove and fitting in vertical groove poles. The top shelf has no groove and hereupon a broad sitting board is attached using brackets.

A180 - massive grooved board

L 1,8 m (28 x 145 mm)

A181 - massive board without groove

L 1,8 m (28 x 145 mm)

A090 - groove pole


L 0,9 m (90 x 90 mm)

A002 - cover board

(35 x 145 mm) per meter

A005 - small bracket

(with matching screws)



Requirements:

- 2 to 3 boards per 1,8 m of which one without groove
- 1 groove pole per 1,8 m with an additional pole in the corners (placed twice)
- 6 brackets per length of 1,8 m; 2 wood thread screws per bracket
- 1 cover board in multiples of 1,8 m to be sewn in the corners

Type of wood:

- pressure-impregnated pine

Hit & miss

A fence of round poles where small children can climb on, look through but cannot get over. Ideal as a border around playgrounds, to mark out swings from the rest of the playground. Also to prevent children crossing the street unexpectedly.

A100 Y (price per linear meter)

highest pole 1,0 m above ground (total pole length 1,6 m)

lowest pole 0,2 m above ground (total pole length 0,8 m)

Material:

- machined poles Ø 12 cm

Type of wood:

- pressure-impregnated pine

To increase durability, a slat in hardwood can be added to fix along one or both sides.



Patio fence & gate

2110

L 1,8 x H 1,0 m

Materials

- type of wood:
red Norwegian pressure-
impregnated pine
- slats: 35 x 35 mm
- distance between the slats:
+/- 20 mm
- backboards:
24 x 57 mm

XP

Fence patio 100 x 180 cm

YP

Post 1,6 m (70 x 70 mm)

ZP

Gate post 1,7 m (90 x 90 mm)

QP

Fixings (per piece)
(4 needed per fence)

SP

Patio gate 100 x 100 cm



Decorative fence & gate

D080

L 1,8 x H 0,8 m

Materials

- type of wood:
red Norwegian pressure-
impregnated pine
- boards: 22 x 57 mm
- backboards:
35 x 57 mm

XD

Decorative fence
80 x 180 cm

YD

Post 1,4 m (70 x 70 mm)

ZD

Gate post 1,5 m (90 x 90 mm)

QD

Fixings (per piece)
(4 needed per fence)

SD

Decorative gate 80 x 100 cm







**"Children need the freedom
and time to play. Play is not
a luxury. Play is a necessity."**

- Kay Redfield Jamison



Eco-play®

Discover our range
of natural playgrounds!